

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121121\
 Data File : BN017935.D
 Acq On : 12 Dec 2021 11:53
 Operator : CG/JU
 Sample : M4956-18
 Misc :
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW203D2-20211205

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 12/13/2021
 Supervised By : Jagrut Upadhyay 12/13/2021

Quant Time: Dec 13 00:39:33 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 11 00:01:30 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.714	152	25606	0.400	ng	0.00
7) Naphthalene-d8	10.494	136	101518	0.400	ng	0.00
13) Acenaphthene-d10	14.347	164	60653	0.400	ng	0.01
19) Phenanthrene-d10	17.092	188	118811	0.400	ng	0.00
29) Chrysene-d12	21.293	240	76240	0.400	ng	# 0.00
35) Perylene-d12	23.592	264	49162	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.335	112	6711	0.127	ng	0.00
5) Phenol-d6	6.903	99	3317	0.063	ng	0.00
8) Nitrobenzene-d5	8.859	82	20048	0.302	ng	0.00
11) 2-Methylnaphthalene-d10	12.089	152	55572	0.311	ng	0.00
14) 2,4,6-Tribromophenol	15.857	330	2657	0.413	ng	0.01
15) 2-Fluorobiphenyl	12.977	172	80270	0.376	ng	0.01
27) Fluoranthene-d10	19.129	212	144223	0.374	ng	0.00
31) Terphenyl-d14	19.735	244	117767	0.626	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.270	88	6190m	0.797	ng	Qvalue
34) Bis(2-ethylhexyl)phtha...	21.208	149	9216	0.113	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121121\
Data File : BN017935.D
Acq On : 12 Dec 2021 11:53
Operator : CG/JU
Sample : M4956-18
Misc :
ALS Vial : 60 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205

Manual Integrations
APPROVED

Reviewed By : Christian Giraldo 12/13/2021
Supervised By : Jagrut Upadhyay 12/13/2021


Quant Time: Dec 13 00:39:33 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 11 00:01:30 2021
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.714 min Scan# 492
Delta R.T. -0.001 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205




Tgt Ion: 152 Resp: 25600
Ion Ratio Lower Upper
152 100
150 151.2 121.9 182.9
115 53.5 44.1 66.1

Manual Integrations
APPROVED



Reviewed By : Christian Giraldo 12/13/2021
Supervised By : Jagrut Upadhyay 12/13/2021




#2
1,4-Dioxane
Concen: 0.797 ng m
RT: 3.270 min Scan# 10
Delta R.T. -0.000 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Tgt Ion: 88 Resp: 6190
Ion Ratio Lower Upper
88 100
43 43.7 28.0 42.0#
58 118.9 65.4 98.0#





#4
2-Fluorophenol
Concen: 0.127 ng
RT: 5.335 min Scan# 21
Delta R.T. 0.009 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205




Tgt Ion: 112 Resp: 671
Ion Ratio Lower Upper
112 100
64 60.9 49.0 73.4
63 33.0 26.2 39.2

Manual Integrations
APPROVED



Reviewed By : Christian Giraldo 12/13/2021
Supervised By : Jagrut Upadhyay 12/13/2021




#5
Phenol-d6
Concen: 0.063 ng
RT: 6.903 min Scan# 404
Delta R.T. 0.009 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Tgt Ion: 99 Resp: 3317
Ion Ratio Lower Upper
99 100
42 21.8 17.0 25.4
71 43.1 28.0 42.0#





#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.494 min Scan# 729
Delta R.T. -0.000 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205



Tgt Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	7.1	5.1	7.7
68	5.9	4.4	6.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 12/13/2021
Supervised By :Jagrut Upadhyay 12/13/2021



#8
Nitrobenzene-d5
Concen: 0.302 ng
RT: 8.859 min Scan# 600
Delta R.T. -0.000 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53


Tgt Ion	Ratio	Lower	Upper
82	100		
128	38.5	32.2	48.4
54	48.1	37.6	56.4





#11
2-Methylnaphthalene-d10
Concen: 0.311 ng
RT: 12.089 min Scan# 91
Delta R.T. -0.000 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205




Tgt Ion:152 Resp: 55572
Ion Ratio Lower Upper
152 100
151 20.1 16.4 24.6

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 12/13/2021
Supervised By :Jagrut Upadhyay 12/13/2021




#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.347 min Scan# 1177
Delta R.T. 0.012 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Tgt Ion:164 Resp: 60653
Ion Ratio Lower Upper
164 100
162 96.7 82.1 123.1
160 43.7 38.2 57.2





#14
2,4,6-Tribromophenol
Concen: 0.413 ng
RT: 15.857 min Scan# 1069
Delta R.T. 0.013 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205



Tgt Ion: 330 Resp: 265
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 29.5 19.7 29.5




Manual Integrations
APPROVED


Reviewed By : Christian Giraldo 12/13/2021
Supervised By : Jagrut Upadhyay 12/13/2021



#15
2-Fluorobiphenyl
Concen: 0.376 ng
RT: 12.977 min Scan# 1069
Delta R.T. 0.012 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53


Tgt Ion: 172 Resp: 80270
Ion Ratio Lower Upper
172 100
171 33.4 28.3 42.5
170 22.0 19.1 28.7





#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.092 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205



Tgt Ion:188 Resp: 11881
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.8 6.2 9.2




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 12/13/2021
Supervised By :Jagrut Upadhyay 12/13/2021



#27
Fluoranthene-d10
Concen: 0.374 ng
RT: 19.129 min Scan# 1697
Delta R.T. -0.000 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53


Tgt Ion:212 Resp: 144223
Ion Ratio Lower Upper
212 100
106 10.2 8.3 12.5
104 5.7 4.6 6.8





#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.293 min Scan# 1995
Delta R.T. -0.000 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205




Tgt Ion:240 Resp: 76240
Ion Ratio Lower Upper
240 100
120 8.9 5.8 8.8
236 27.0 21.0 31.6

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 12/13/2021
Supervised By :Jagrut Upadhyay 12/13/2021




#31
Terphenyl-d14
Concen: 0.626 ng
RT: 19.735 min Scan# 1819
Delta R.T. -0.005 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Tgt Ion:244 Resp: 117767
Ion Ratio Lower Upper
244 100
212 7.8 6.2 9.2
122 9.4 7.5 11.3





#34
Bis(2-ethylhexyl)phthalate
Concen: 0.113 ng
RT: 21.208 min Scan# 1987
Delta R.T. -0.000 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53




Instrument :
BNA_N
ClientSampleId :
MW203D2-20211205



Tgt Ion:149 Resp: 9210
Ion Ratio Lower Upper
149 100
167 29.7 23.4 35.0
279 4.6 3.6 5.4

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 12/13/2021
Supervised By :Jagrut Upadhyay 12/13/2021



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.592 min Scan# 2446
Delta R.T. 0.003 min
Lab File: BN017935.D
Acq: 12 Dec 2021 11:53

Tgt Ion:264 Resp: 49162
Ion Ratio Lower Upper
264 100
260 25.4 20.2 30.4
265 22.9 18.2 27.4

