

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121324\
 Data File : BN035605.D
 Acq On : 13 Dec 2024 20:07
 Operator : RC/JU
 Sample : P5153-21
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 E28R4

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/14/2024
 Supervised By :mohammad ahmed 12/14/2024

Quant Time: Dec 13 21:07:09 2024

Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN111624.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Tue Dec 10 16:10:57 2024

Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.293	152	1914	0.400	ng/ul	# 0.00
4) Naphthalene-d8	10.037	136	6235	0.400	ng/ul	# 0.00
9) Acenaphthene-d10	13.953	164	3917	0.400	ng/ul	0.00
13) Phenanthrene-d10	16.722	188	7663	0.400	ng/ul	# 0.00
17) Chrysene-d12	20.970	240	6138	0.400	ng/ul	# 0.00
23) Perylene-d12	23.065	264	6994m	0.400	ng/ul	0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	2.968	96	6308	3.606	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.642	152	1695	0.186	ng/ul	0.00
18) Fluoranthene-d10	18.777	212	3919	0.231	ng/ul	0.00
Target Compounds						
						Qvalue
5) Naphthalene	10.086	128	37138	2.364	ng/ul	98
7) 2-Methylnaphthalene	11.719	142	17329	1.591	ng/ul	97
8) 1-Methylnaphthalene	11.945	142	6394	0.581	ng/ul	99
10) Acenaphthylene	13.667	152	6987	0.450	ng/ul#	94
11) Acenaphthene	14.014	153	1971	0.166	ng/ul	94
12) Fluorene	15.018	166	3357	0.241	ng/ul#	89
15) Phenanthrene	16.764	178	78278	3.864	ng/ul	99
16) Anthracene	16.852	178	21080	1.121	ng/ul	97
19) Fluoranthene	18.805	202	128313	6.004	ng/ul	97
20) Pyrene	19.172	202	129096	5.805	ng/ul#	95
21) Benzo(a)anthracene	20.953	228	89400	4.198	ng/ul	92
22) Chrysene	21.005	228	115018m	5.366	ng/ul	
24) Benzo(b)fluoranthene	22.454	252	194523m	8.414	ng/ul	
25) Benzo(k)fluoranthene	22.489	252	66962m	2.809	ng/ul	
26) Benzo(a)pyrene	22.975	252	141376m	6.692	ng/ul	
27) Indeno(1,2,3-cd)pyrene	25.104	276	126364m	4.429	ng/ul	
28) Dibenzo(a,h)anthracene	25.114	278	29092m	1.301	ng/ul	
29) Benzo(g,h,i)perylene	25.725	276	143547m	6.380	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121324\
Data File : BN035605.D
Acq On : 13 Dec 2024 20:07
Operator : RC/JU
Sample : P5153-21
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
E28R4

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/14/2024
Supervised By :mohammad ahmed 12/14/2024

Quant Time: Dec 13 21:07:09 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN111624.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 10 16:10:57 2024
Response via : Initial Calibration

