

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121421\
 Data File : BN017992.D
 Acq On : 14 Dec 2021 06:12
 Operator : CG/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC

Quant Time: Dec 14 06:47:09 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 14 01:08:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.689	152	34857	0.400	ng	0.00
7) Naphthalene-d8	10.470	136	139525	0.400	ng	0.00
13) Acenaphthene-d10	14.320	164	86323	0.400	ng	0.00
19) Phenanthrene-d10	17.066	188	174358	0.400	ng	0.00
29) Chrysene-d12	21.270	240	177763	0.400	ng	0.00
35) Perylene-d12	23.549	264	182946	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.291	112	28596	0.378	ng	0.00
5) Phenol-d6	6.877	99	27743	0.366	ng	0.00
8) Nitrobenzene-d5	8.835	82	37629	0.380	ng	0.00
11) 2-Methylnaphthalene-d10	12.065	152	89268	0.386	ng	0.00
14) 2,4,6-Tribromophenol	15.817	330	13425	0.435	ng	0.00
15) 2-Fluorobiphenyl	12.949	172	112827	0.375	ng	0.00
27) Fluoranthene-d10	19.103	212	231223	0.397	ng	0.00
31) Terphenyl-d14	19.713	244	140814	0.380	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.235	88	9192	0.423	ng	# 60
3) n-Nitrosodimethylamine	3.558	42	11406	0.351	ng	98
6) bis(2-Chloroethyl)ether	7.117	93	34866	0.390	ng	100
9) Naphthalene	10.508	128	133026	0.380	ng	99
10) Hexachlorobutadiene	10.812	225	38253	0.397	ng	# 100
12) 2-Methylnaphthalene	12.141	142	85266	0.390	ng	99
16) Acenaphthylene	14.040	152	136465	0.382	ng	100
17) Acenaphthene	14.383	154	86419	0.380	ng	100
18) Fluorene	15.373	166	108490	0.389	ng	100
20) 4,6-Dinitro-2-methylph...	15.474	198	4202	0.414	ng	# 91
21) 4-Bromophenyl-phenylether	16.263	248	39804	0.377	ng	93
22) Hexachlorobenzene	16.385	284	49106	0.390	ng	100
23) Atrazine	16.543	200	27098	0.379	ng	98
24) Pentachlorophenol	16.738	266	9863	0.527	ng	99
25) Phenanthrene	17.103	178	171525	0.386	ng	100
26) Anthracene	17.200	178	155146	0.387	ng	100
28) Fluoranthene	19.132	202	222813	0.403	ng	100
30) Pyrene	19.500	202	228038	0.391	ng	100
32) Benzo(a)anthracene	21.249	228	204920	0.383	ng	98
33) Chrysene	21.302	228	219947	0.386	ng	100
34) Bis(2-ethylhexyl)phtha...	21.196	149	109752	0.418	ng	100
36) Indeno(1,2,3-cd)pyrene	25.887	276	242024	0.395	ng	100
37) Benzo(b)fluoranthene	22.858	252	218809	0.403	ng	100
38) Benzo(k)fluoranthene	22.903	252	212070	0.400	ng	99
39) Benzo(a)pyrene	23.447	252	216411	0.391	ng	99
40) Dibenzo(a,h)anthracene	25.904	278	181103	0.379	ng	99
41) Benzo(g,h,i)perylene	26.599	276	222869	0.389	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121421\
 Data File : BN017992.D
 Acq On : 14 Dec 2021 06:12
 Operator : CG/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC


Quant Time: Dec 14 06:47:09 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 14 01:08:04 2021
 Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.689 min Scan# 50
 Delta R.T. 0.001 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12


Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC





Tgt Ion:152 Resp: 34857
 Ion Ratio Lower Upper
 152 100
 150 152.4 121.7 182.5
 115 54.1 43.8 65.8




#2
 1,4-Dioxane
 Concen: 0.423 ng
 RT: 3.235 min Scan# 17
 Delta R.T. 0.000 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12



Tgt Ion: 88 Resp: 9192
 Ion Ratio Lower Upper
 88 100
 43 32.9 69.7 104.5#
 58 78.7 83.8 125.8#









#3
n-Nitrosodimethylamine
Concen: 0.351 ng
RT: 3.558 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion: 42 Resp: 11406
Ion Ratio Lower Upper
42 100
74 133.8 108.6 163.0
44 7.1 5.8 8.8



#4
2-Fluorophenol
Concen: 0.378 ng
RT: 5.291 min Scan# 240
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion: 112 Resp: 28596
Ion Ratio Lower Upper
112 100
64 60.3 48.0 72.0
63 31.3 25.3 37.9









#5
Phenol-d6
Concen: 0.366 ng
RT: 6.877 min Scan# 411
Delta R.T. 0.009 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion: 99 Resp: 27743
Ion Ratio Lower Upper
99 100
42 20.4 16.3 24.5
71 33.2 26.8 40.2



#6
bis(2-Chloroethyl)ether
Concen: 0.390 ng
RT: 7.117 min Scan# 438
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion: 93 Resp: 34866
Ion Ratio Lower Upper
93 100
63 77.6 61.7 92.5
95 32.9 26.2 39.4









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.470 min Scan# 71
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:	136	Resp:	139525
Ion Ratio	Lower	Upper	
136	100		
137	11.1	8.8	13.2
54	5.9	5.0	7.6
68	5.1	4.4	6.6



#8
Nitrobenzene-d5
Concen: 0.380 ng
RT: 8.835 min Scan# 609
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:	82	Resp:	37629
Ion Ratio	Lower	Upper	
82	100		
128	44.1	33.7	50.5
54	45.0	36.6	55.0









#9
Naphthalene
Concen: 0.380 ng
RT: 10.508 min Scan# 741
Delta R.T. -0.012 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:128 Resp: 133026
Ion Ratio Lower Upper
128 100
129 10.8 8.7 13.1
127 13.4 10.4 15.6



#10
Hexachlorobutadiene
Concen: 0.397 ng
RT: 10.812 min Scan# 765
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:225 Resp: 38253
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.9 51.0 76.6





#11

2-Methylnaphthalene-d10

Concen: 0.386 ng

RT: 12.065 min Scan# 946

Delta R.T. -0.004 min

Lab File: BN017992.D

Acq: 14 Dec 2021 06:12

Instrument :

BNA_N

ClientSampleId :





SSTDCCC0.4EC

Tgt Ion:152 Resp: 89268

Ion Ratio Lower Upper

152 100

151 20.2 16.2 24.2



#12

2-Methylnaphthalene

Concen: 0.390 ng

RT: 12.141 min Scan# 962

Delta R.T. 0.000 min

Lab File: BN017992.D

Acq: 14 Dec 2021 06:12




Tgt Ion:142 Resp: 85266


Ion Ratio Lower Upper

142 100

141 86.3 70.0 105.0

115 34.0 27.8 41.8









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.320 min Scan# 1187
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:164 Resp: 86323
Ion Ratio Lower Upper
164 100
162 98.6 80.2 120.2
160 44.9 36.9 55.3



#14
2,4,6-Tribromophenol
Concen: 0.435 ng
RT: 15.817 min Scan# 1305
Delta R.T. 0.001 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:330 Resp: 13425
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 27.5 21.3 31.9









#15
2-Fluorobiphenyl
Concen: 0.375 ng
RT: 12.949 min Scan# 1079
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:172 Resp: 112827
Ion Ratio Lower Upper
172 100
171 33.7 27.4 41.0
170 22.6 18.4 27.6



#16
Acenaphthylene
Concen: 0.382 ng
RT: 14.040 min Scan# 1165
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:152 Resp: 136465
Ion Ratio Lower Upper
152 100
151 19.6 15.8 23.6
153 13.1 10.5 15.7









#17
Acenaphthene
Concen: 0.380 ng
RT: 14.383 min Scan# 1192
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:154 Resp: 86419
Ion Ratio Lower Upper
154 100
153 113.4 90.9 136.3
152 55.5 45.0 67.4



#18
Fluorene
Concen: 0.389 ng
RT: 15.373 min Scan# 1270
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:166 Resp: 108490
Ion Ratio Lower Upper
166 100
165 97.1 77.8 116.6
167 13.5 10.9 16.3









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.066 min Scan# 1407
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:188 Resp: 174358
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.6 7.0 10.4



#20
4,6-Dinitro-2-methylphenol
Concen: 0.414 ng
RT: 15.474 min Scan# 1278
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:198 Resp: 4202
Ion Ratio Lower Upper
198 100
182 15.1 15.5 23.3#
77 0.0 0.0 0.0









#21
4-Bromophenyl-phenylether
Concen: 0.377 ng
RT: 16.263 min Scan# 1341
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:	248	Resp:	39804
Ion	Ratio	Lower	Upper
248	100		
250	96.1	74.4	111.6
141	44.4	43.7	65.5



#22
Hexachlorobenzene
Concen: 0.390 ng
RT: 16.385 min Scan# 1351
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:	284	Resp:	49106
Ion	Ratio	Lower	Upper
284	100		
142	26.7	21.6	32.4
249	29.3	23.5	35.3









#23
 Atrazine
 Concen: 0.379 ng
 RT: 16.543 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC


Tgt Ion:200 Resp: 27098
 Ion Ratio Lower Upper
 200 100
 173 23.6 20.3 30.5
 215 51.5 40.4 60.6



#24
 Pentachlorophenol
 Concen: 0.527 ng
 RT: 16.738 min Scan# 1380
 Delta R.T. -0.012 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12

Tgt Ion:266 Resp: 9863
 Ion Ratio Lower Upper
 266 100
 264 62.6 49.5 74.3
 268 64.4 50.6 76.0









#25
Phenanthrene
Concen: 0.386 ng
RT: 17.103 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:178 Resp: 171525
Ion Ratio Lower Upper
178 100
176 19.2 15.3 22.9
179 15.5 12.3 18.5



#26
Anthracene
Concen: 0.387 ng
RT: 17.200 min Scan# 1418
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:178 Resp: 155146
Ion Ratio Lower Upper
178 100
176 18.3 14.8 22.2
179 15.4 12.2 18.4









#27
Fluoranthene-d10
Concen: 0.397 ng
RT: 19.103 min Scan# 1704
Delta R.T. -0.005 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:212 Resp: 231223
Ion Ratio Lower Upper
212 100
106 10.4 8.4 12.6
104 5.7 4.5 6.7



#28
Fluoranthene
Concen: 0.403 ng
RT: 19.132 min Scan# 1710
Delta R.T. -0.005 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:202 Resp: 222813
Ion Ratio Lower Upper
202 100
101 9.1 7.2 10.8
203 17.1 13.7 20.5









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.270 min Scan# 2005
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:240 Resp: 177763
Ion Ratio Lower Upper
240 100
120 6.4 6.0 9.0
236 26.5 21.4 32.2



#30
Pyrene
Concen: 0.391 ng
RT: 19.500 min Scan# 1784
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:202 Resp: 228038
Ion Ratio Lower Upper
202 100
200 20.8 16.6 25.0
203 17.5 14.1 21.1









#31
 Terphenyl-d14
 Concen: 0.380 ng
 RT: 19.713 min Scan# 1
 Delta R.T. -0.005 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC


Tgt Ion:244 Resp: 140814
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.2 9.2
 122 10.0 7.9 11.9



#32
 Benzo(a)anthracene
 Concen: 0.383 ng
 RT: 21.249 min Scan# 2003
 Delta R.T. -0.010 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12

Tgt Ion:228 Resp: 204920
 Ion Ratio Lower Upper
 228 100
 226 27.9 21.3 31.9
 229 19.4 15.9 23.9









#33
Chrysene
Concen: 0.386 ng
RT: 21.302 min Scan# 2008
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:228 Resp: 219947
Ion Ratio Lower Upper
228 100
226 30.3 24.2 36.4
229 19.5 15.5 23.3



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.418 ng
RT: 21.196 min Scan# 1998
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:149 Resp: 109752
Ion Ratio Lower Upper
149 100
167 29.4 23.7 35.5
279 4.5 3.6 5.4









#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.549 min Scan# 2446
 Delta R.T. 0.000 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC


Tgt Ion:264 Resp: 182946
 Ion Ratio Lower Upper
 264 100
 260 25.5 20.2 30.4
 265 24.0 18.2 27.2



#36
 Indeno(1,2,3-cd)pyrene
 Concen: 0.395 ng
 RT: 25.887 min Scan# 3129
 Delta R.T. -0.003 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12

Tgt Ion:276 Resp: 242024
 Ion Ratio Lower Upper
 276 100
 138 19.1 14.9 22.3
 277 24.9 19.9 29.9









#37
Benzo(b)fluoranthene
Concen: 0.403 ng
RT: 22.858 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:252 Resp: 218809
Ion Ratio Lower Upper
252 100
253 22.3 17.8 26.6
125 7.7 6.0 9.0



#38
Benzo(k)fluoranthene
Concen: 0.400 ng
RT: 22.903 min Scan# 2257
Delta R.T. -0.003 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12

Tgt Ion:252 Resp: 212070
Ion Ratio Lower Upper
252 100
253 22.3 17.7 26.5
125 8.1 6.2 9.2









#39
Benzo(a)pyrene
Concen: 0.391 ng
RT: 23.447 min Scan# 2417
Delta R.T. -0.003 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:252 Resp: 216411
Ion Ratio Lower Upper
252 100
253 22.4 17.8 26.6
125 9.0 7.0 10.4



#40
Dibenzo(a,h)anthracene
Concen: 0.379 ng
RT: 25.904 min Scan# 3134
Delta R.T. -0.007 min
Lab File: BN017992.D
Acq: 14 Dec 2021 06:12


Tgt Ion:278 Resp: 181103
Ion Ratio Lower Upper
278 100
139 14.0 10.8 16.2
279 23.8 19.0 28.4





#41
 Benzo(g,h,i)perylene
 Concen: 0.389 ng
 RT: 26.599 min Scan# 31
 Delta R.T. -0.003 min
 Lab File: BN017992.D
 Acq: 14 Dec 2021 06:12

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC



Tgt Ion:276 Resp: 222869
 Ion Ratio Lower Upper
 276 100
 277 23.8 19.0 28.6
 138 16.2 12.6 19.0

