

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121421\
 Data File : BN018013.D
 Acq On : 14 Dec 2021 21:55
 Operator : CG/JU
 Sample : PB141193BL
 Misc :
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB141193BL

Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 12/15/2021
 Supervised By :Jagrut Upadhyay 12/15/2021

Quant Time: Dec 15 02:21:13 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 14 01:08:04 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.688	152	26322	0.400	ng	0.00
7) Naphthalene-d8	10.470	136	100054	0.400	ng	0.00
13) Acenaphthene-d10	14.319	164	57843	0.400	ng	0.00
19) Phenanthrene-d10	17.078	188	107002	0.400	ng	0.01
29) Chrysene-d12	21.270	240	112134	0.400	ng	0.00
35) Perylene-d12	23.549	264	108918	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.319	112	19089	0.335	ng	0.03
5) Phenol-d6	6.886	99	16301m	0.285	ng	0.02
8) Nitrobenzene-d5	8.835	82	16861	0.237	ng	0.00
11) 2-Methylnaphthalene-d10	12.087	152	43955	0.265	ng	0.02
14) 2,4,6-Tribromophenol	15.855	330	3916m	0.296	ng	0.04
15) 2-Fluorobiphenyl	12.962	172	51023m	0.253	ng	0.01
27) Fluoranthene-d10	19.112	212	115771	0.324	ng	0.00
31) Terphenyl-d14	19.718	244	81966	0.351	ng	0.00

Target Compounds Qvalue

 (#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121421\
Data File : BN018013.D
Acq On : 14 Dec 2021 21:55
Operator : CG/JU
Sample : PB141193BL
Misc :
ALS Vial : 39 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
PB141193BL

Manual Integrations
APPROVED

Reviewed By : Christian Giraldo 12/15/2021
Supervised By : Jagrut Upadhyay 12/15/2021


Quant Time: Dec 15 02:21:13 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 14 01:08:04 2021
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.688 min Scan# 500
Delta R.T. 0.000 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55




Instrument :
BNA_N
ClientSampleId :
PB141193BL




Tgt Ion:152 Resp: 2632
Ion Ratio Lower Upper
152 100
150 155.0 121.7 182.5
115 55.9 43.8 65.8

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 12/15/2021
Supervised By :Jagrut Upadhyay 12/15/2021




#4
2-Fluorophenol
Concen: 0.335 ng
RT: 5.319 min Scan# 243
Delta R.T. 0.028 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55



Tgt Ion:112 Resp: 19089
Ion Ratio Lower Upper
112 100
64 60.0 48.0 72.0
63 31.4 25.3 37.9









#5
Phenol-d6
Concen: 0.285 ng m
RT: 6.886 min Scan# 411
Delta R.T. 0.019 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55

Instrument :
BNA_N
ClientSampleId :
PB141193BL

Tgt Ion: 99 Resp: 1630
Ion Ratio Lower Upper
99 100
42 18.7 16.3 24.5
71 32.2 26.8 40.2




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 12/15/2021
Supervised By :Jagrut Upadhyay 12/15/2021



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.470 min Scan# 738
Delta R.T. 0.000 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55

Tgt Ion:136 Resp: 100054
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 7.2 5.0 7.6
68 5.9 4.4 6.6









#8
Nitrobenzene-d5
Concen: 0.237 ng
RT: 8.835 min Scan# 609
Delta R.T. 0.000 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55

Instrument :
BNA_N
ClientSampleId :
PB141193BL

Tgt Ion: 82 Resp: 1686
Ion Ratio Lower Upper
82 100
128 34.8 33.7 50.5
54 51.8 36.6 55.0




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 12/15/2021
Supervised By :Jagrut Upadhyay 12/15/2021



#11
2-Methylnaphthalene-d10
Concen: 0.265 ng
RT: 12.087 min Scan# 950
Delta R.T. 0.018 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55


Tgt Ion:152 Resp: 43955
Ion Ratio Lower Upper
152 100
151 20.5 16.2 24.2





#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.319 min Scan# 1187
Delta R.T. 0.000 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55




Instrument :
BNA_N
ClientSampleId :
PB141193BL




Tgt Ion:164 Resp: 5784
Ion Ratio Lower Upper
164 100
162 102.8 80.2 120.2
160 48.1 36.9 55.3

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 12/15/2021
Supervised By :Jagrut Upadhyay 12/15/2021




#14
2,4,6-Tribromophenol
Concen: 0.296 ng m
RT: 15.855 min Scan# 1308
Delta R.T. 0.039 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55




Tgt Ion:330 Resp: 3916
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 25.7 21.3 31.9





#15
2-Fluorobiphenyl
Concen: 0.253 ng m
RT: 12.962 min Scan# 1079
Delta R.T. 0.013 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55




Instrument :
BNA_N
ClientSampleId :
PB141193BL



Tgt Ion:172 Resp: 5102
Ion Ratio Lower Upper
172 100
171 34.9 27.4 41.0
170 23.5 18.4 27.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 12/15/2021
Supervised By :Jagrut Upadhyay 12/15/2021



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.078 min Scan# 1408
Delta R.T. 0.012 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55


Tgt Ion:188 Resp: 107002
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.4 7.0 10.4





#27
Fluoranthene-d10
Concen: 0.324 ng
RT: 19.112 min Scan# 11
Delta R.T. 0.005 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55




Instrument :
BNA_N
ClientSampleId :
PB141193BL



Tgt Ion:212 Resp: 11577
Ion Ratio Lower Upper
212 100
106 10.4 8.4 12.6
104 5.8 4.5 6.7




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 12/15/2021
Supervised By :Jagrut Upadhyay 12/15/2021



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.270 min Scan# 2005
Delta R.T. 0.000 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55


Tgt Ion:240 Resp: 112134
Ion Ratio Lower Upper
240 100
120 8.9 6.0 9.0
236 26.7 21.4 32.2





#31
Terphenyl-d14
Concen: 0.351 ng
RT: 19.718 min Scan# 1828
Delta R.T. 0.000 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55




Instrument :
BNA_N
ClientSampleId :
PB141193BL



Tgt Ion:244 Resp: 81960
Ion Ratio Lower Upper
244 100
212 7.6 6.2 9.2
122 9.3 7.9 11.9

Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 12/15/2021
Supervised By :Jagrut Upadhyay 12/15/2021



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.549 min Scan# 2446
Delta R.T. 0.000 min
Lab File: BN018013.D
Acq: 14 Dec 2021 21:55

Tgt Ion:264 Resp: 108918
Ion Ratio Lower Upper
264 100
260 25.2 20.2 30.4
265 24.4 18.2 27.2

