

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122022\
 Data File : BN023301.D
 Acq On : 20 Dec 2022 16:42
 Operator : CG/JU
 Sample : N6003-23
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBXV2

Quant Time: Dec 21 04:14:40 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN121522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Dec 21 04:11:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.999	152	232672	20.000	ng/u1	0.00
20) Naphthalene-d8	10.816	136	1084284	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.645	164	693447	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.392	188	1555549	20.000	ng/u1	0.00
79) Chrysene-d12	21.574	240	1435662	20.000	ng/u1	0.00
88) Perylene-d12	24.027	264	1414338	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.340	96	22868	4.066	ng/uL	0.00
4) Pyridine-d5	3.775	84	118931	7.164	ng/u1	0.00
7) Phenol-d5	7.152	99	507354	23.445	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.322	67	315706	25.070	ng/u1	0.00
11) 2-Chlorophenol-d4	7.522	132	425623	26.102	ng/u1	0.00
15) 4-Methylphenol-d8	8.710	113	357268	20.563	ng/u1	0.00
21) Nitrobenzene-d5	9.169	128	224810	26.835	ng/u1	0.00
24) 2-Nitrophenol-d4	9.893	143	255771	28.987	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.434	165	443404	26.620	ng/u1	0.00
31) 4-Chloroaniline-d4	10.957	131	547699	20.435	ng/u1	0.00
46) Dimethylphthalate-d6	14.057	166	1435932	27.632	ng/u1	0.00
49) Acenaphthylene-d8	14.339	160	1654669	28.393	ng/u1	0.00
54) 4-Nitrophenol-d4	14.839	143	245197	21.126	ng/u1	0.00
60) Fluorene-d10	15.639	176	1263669	28.546	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.751	200	201642	22.021	ng/u1	0.00
73) Anthracene-d10	17.492	188	1910758	27.409	ng/u1	0.00
81) Pyrene-d10	19.786	212	2398594	30.713	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.874	264	1930837	27.852	ng/u1	0.00
Target Compounds						
					Qvalue	
80) Fluoranthene	19.445	202	111930	1.232	ng/u1	100
82) Pyrene	19.816	202	102022	1.069	ng/u1	98
90) Benzo(b)fluoranthene	23.280	252	94631	1.061	ng/u1#	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122022\
Data File : BN023301.D
Acq On : 20 Dec 2022 16:42
Operator : CG/JU
Sample : N6003-23
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBXV2

Quant Time: Dec 21 04:14:40 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN121522.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 21 04:11:00 2022
Response via : Initial Calibration

