

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122220\
 Data File : BN013246.D
 Acq On : 21 Dec 2020 21:05
 Operator : CG/JU
 Sample : L5123-03
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT101D1-20201211

Quant Time: Dec 22 01:06:18 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121620.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 18 16:11:20 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.338	152	625	0.40	ng	0.00
7) Naphthalene-d8	10.112	136	2258	0.40	ng	# 0.00
13) Acenaphthene-d10	14.003	164	1554	0.40	ng	0.00
19) Phenanthrene-d10	16.775	188	3271	0.40	ng	# 0.00
29) Chrysene-d12	20.995	240	3893	0.40	ng	#-0.01
36) Perylene-d12	23.089	264	4587	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	4.962	112	103	0.04	ng	0.00
5) Phenol-d6	6.573	99	24	0.01	ng	0.02
8) Nitrobenzene-d5	8.540	82	221	0.09	ng	0.01
11) 2-Methylnaphthalene-d10	11.733	152	372	0.09	ng	0.00
14) 2,4,6-Tribromophenol	15.539	330	113	0.12	ng	0.00
15) 2-Fluorobiphenyl	12.621	172	620	0.10	ng	-0.01
27) Fluoranthene-d10	18.821	212	1580	0.15	ng	0.00
31) Terphenyl-d14	19.431	244	1472	0.15	ng	-0.02
Target Compounds						
2) 1,4-Dioxane	2.924	88	2029	1.86	ng	# 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122220\
Data File : BN013246.D
Acq On : 21 Dec 2020 21:05
Operator : CG/JU
Sample : L5123-03
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT101D1-20201211

Quant Time: Dec 22 01:06:18 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121620.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 18 16:11:20 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.338 min Scan# 566
Delta R.T. -0.008 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05




Instrument :
BNA_N
ClientSampleId :
TT101D1-20201211


Tgt Ion:152 Resp: 625
Ion Ratio Lower Upper
152 100
150 144.9 116.6 174.8
115 77.0 52.9 79.3



#2
1,4-Dioxane
Concen: 1.86 ng
RT: 2.924 min Scan# 18
Delta R.T. -0.008 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05

Tgt Ion: 88 Resp: 2029
Ion Ratio Lower Upper
88 100
58 78.4 59.4 89.2
43 31.8 32.3 48.5









#4
2-Fluorophenol
Concen: 0.04 ng
RT: 4.962 min Scan# 271
Delta R.T. -0.000 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05




Instrument :
BNA_N
ClientSampleId :
TT101D1-20201211


Tgt Ion:112 Resp: 103
Ion Ratio Lower Upper
112 100
64 70.9 49.5 74.3
63 55.3 32.0 48.0#



#5
Phenol-d6
Concen: 0.01 ng
RT: 6.573 min Scan# 471
Delta R.T. 0.024 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05

Tgt Ion: 99 Resp: 24
Ion Ratio Lower Upper
99 100
42 66.7 22.4 33.6#
71 29.2 37.8 56.6#









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.112 min Scan# 829
Delta R.T. -0.000 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05

Instrument :
BNA_N
ClientSampleId :
TT101D1-20201211

Tgt Ion: 136 Resp: 2258




Ion	Ratio	Lower	Upper
136	100		
137	17.7	10.6	15.8#
54	18.2	8.6	12.8#
68	13.6	5.7	8.5#




#8
Nitrobenzene-d5
Concen: 0.09 ng
RT: 8.540 min Scan# 705
Delta R.T. 0.013 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05

Tgt Ion: 82 Resp: 221

Ion	Ratio	Lower	Upper
82	100		
128	69.9	30.6	46.0#
54	84.9	48.3	72.5#









#11
2-Methylnaphthalene-d10
Concen: 0.09 ng
RT: 11.733 min Scan# 990
Delta R.T. 0.009 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05




Instrument :
BNA_N
ClientSampleId :
TT101D1-20201211


Tgt Ion:152 Resp: 372
Ion Ratio Lower Upper
152 100
151 19.6 16.7 25.1



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.003 min Scan# 1282
Delta R.T. -0.000 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05

Tgt Ion:164 Resp: 1554
Ion Ratio Lower Upper
164 100
162 101.6 80.6 120.8
160 49.7 39.5 59.3









#14
2,4,6-Tribromophenol
Concen: 0.12 ng
RT: 15.539 min Scan# 1403
Delta R.T. -0.000 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05




Instrument :
BNA_N
ClientSampleId :
TT101D1-20201211


Tgt Ion: 330 Resp: 113
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 46.0 34.4 51.6



#15
2-Fluorobiphenyl
Concen: 0.10 ng
RT: 12.621 min Scan# 1173
Delta R.T. -0.013 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05

Tgt Ion: 172 Resp: 620
Ion Ratio Lower Upper
172 100
171 46.4 28.2 42.4#
170 34.1 20.0 30.0#









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.775 min Scan# 1503
Delta R.T. -0.000 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05




Instrument :
BNA_N
ClientSampleId :
TT101D1-20201211


Tgt Ion:188	Resp:	3271
Ion	Ratio	Lower Upper
188	100	
94	0.0	0.0 0.0
80	10.0	5.0 7.4#



#27
Fluoranthene-d10
Concen: 0.15 ng
RT: 18.821 min Scan# 1767
Delta R.T. -0.000 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05

Tgt Ion:212	Resp:	1580
Ion	Ratio	Lower Upper
212	100	
106	10.6	6.8 10.2#
104	5.8	4.1 6.1









#29
Chrysene-d12
Concen: 0.40 ng
RT: 20.995 min Scan# 2099
Delta R.T. -0.011 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05




Instrument :
BNA_N
ClientSampleId :
TT101D1-20201211


Tgt Ion:240 Resp: 3893
Ion Ratio Lower Upper
240 100
120 16.8 5.3 7.9#
236 29.5 21.8 32.8



#31
Terphenyl-d14
Concen: 0.15 ng
RT: 19.431 min Scan# 1890
Delta R.T. -0.015 min
Lab File: BN013246.D
Acq: 21 Dec 2020 21:05

Tgt Ion:244 Resp: 1472
Ion Ratio Lower Upper
244 100
212 13.6 7.3 10.9#
122 15.1 7.3 10.9#





#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.089 min Scan# 2431
 Delta R.T. -0.007 min
 Lab File: BN013246.D
 Acq: 21 Dec 2020 21:05

Instrument :
 BNA_N
 ClientSampleId :
 TT101D1-20201211

Tgt Ion:264 Resp: 4587

Ion	Ratio	Lower	Upper
264	100		
260	26.4	19.8	29.6
265	71.1	51.4	77.0

