

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122220\
 Data File : BN013250.D
 Acq On : 21 Dec 2020 23:29
 Operator : CG/JU
 Sample : L5123-07
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW203D-20201213

Quant Time: Dec 22 01:06:50 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121620.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 18 16:11:20 2020
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.338	152	721	0.40	ng	0.00
7) Naphthalene-d8	10.112	136	2542	0.40	ng	# 0.00
13) Acenaphthene-d10	13.991	164	1653	0.40	ng	-0.01
19) Phenanthrene-d10	16.763	188	3561	0.40	ng	#-0.01
29) Chrysene-d12	20.992	240	3948	0.40	ng	#-0.01
36) Perylene-d12	23.082	264	4664	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	4.962	112	289	0.10	ng	0.00
5) Phenol-d6	6.565	99	138	0.05	ng	0.02
8) Nitrobenzene-d5	8.528	82	632	0.24	ng	0.00
11) 2-Methylnaphthalene-d10	11.724	152	1032	0.23	ng	0.00
14) 2,4,6-Tribromophenol	15.526	330	242	0.23	ng	-0.01
15) 2-Fluorobiphenyl	12.621	172	1648	0.24	ng	-0.01
27) Fluoranthene-d10	18.813	212	3830	0.33	ng	0.00
31) Terphenyl-d14	19.429	244	3342	0.33	ng	-0.02
Target Compounds						
2) 1,4-Dioxane	2.933	88	499	0.40	ng	# 69
25) Phenanthrene	16.811	178	361	0.03	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122220\
Data File : BN013250.D
Acq On : 21 Dec 2020 23:29
Operator : CG/JU
Sample : L5123-07
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW203D-20201213

Quant Time: Dec 22 01:06:50 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121620.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 18 16:11:20 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.338 min Scan# 566
Delta R.T. -0.008 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29




Instrument :
BNA_N
ClientSampleId :
MW203D-20201213

Tgt Ion:152 Resp: 721
Ion Ratio Lower Upper
152 100
150 148.5 116.6 174.8
115 75.7 52.9 79.3



#2
1,4-Dioxane
Concen: 0.40 ng
RT: 2.933 min Scan# 19
Delta R.T. -0.000 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Tgt Ion: 88 Resp: 499
Ion Ratio Lower Upper
88 100
58 85.2 59.4 89.2
43 0.0 32.3 48.5#








#4
2-Fluorophenol
Concen: 0.10 ng
RT: 4.962 min Scan# 271
Delta R.T. -0.000 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29




Instrument :
BNA_N
ClientSampleId :
MW203D-20201213

Tgt Ion:112 Resp: 289
Ion Ratio Lower Upper
112 100
64 70.6 49.5 74.3
63 48.1 32.0 48.0#



#5
Phenol-d6
Concen: 0.05 ng
RT: 6.565 min Scan# 470
Delta R.T. 0.016 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Tgt Ion: 99 Resp: 138
Ion Ratio Lower Upper
99 100
42 0.0 22.4 33.6#
71 55.1 37.8 56.6








#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.112 min Scan# 829
Delta R.T. -0.000 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29




Instrument :
BNA_N
ClientSampleId :
MW203D-20201213

Tgt Ion:	136	Resp:	2542
Ion	Ratio	Lower	Upper
136	100		
137	17.4	10.6	15.8#
54	16.3	8.6	12.8#
68	12.2	5.7	8.5#



#8
Nitrobenzene-d5
Concen: 0.24 ng
RT: 8.528 min Scan# 704
Delta R.T. -0.000 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Tgt Ion:	82	Resp:	632
Ion	Ratio	Lower	Upper
82	100		
128	59.7	30.6	46.0#
54	81.1	48.3	72.5#









#11
2-Methylnaphthalene-d10
Concen: 0.23 ng
RT: 11.724 min Scan# 988
Delta R.T. -0.000 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29




Instrument :
BNA_N
ClientSampleId :
MW203D-20201213

Tgt Ion:152 Resp: 1032
Ion Ratio Lower Upper
152 100
151 22.2 16.7 25.1



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 13.991 min Scan# 1281
Delta R.T. -0.013 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Tgt Ion:164 Resp: 1653
Ion Ratio Lower Upper
164 100
162 108.6 80.6 120.8
160 54.0 39.5 59.3








#14
2,4,6-Tribromophenol
Concen: 0.23 ng
RT: 15.526 min Scan# 1402
Delta R.T. -0.013 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29




Instrument :
BNA_N
ClientSampleId :
MW203D-20201213

Tgt Ion:330 Resp: 242
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 63.6 34.4 51.6#



#15
2-Fluorobiphenyl
Concen: 0.24 ng
RT: 12.621 min Scan# 1173
Delta R.T. -0.013 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Tgt Ion:172 Resp: 1648
Ion Ratio Lower Upper
172 100
171 38.1 28.2 42.4
170 27.3 20.0 30.0









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.763 min Scan# 1502
Delta R.T. -0.013 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29




Instrument :
BNA_N
ClientSampleId :
MW203D-20201213


Tgt Ion:188	Resp:	3561
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	14.2	5.0



#25
Phenanthrene
Concen: 0.03 ng
RT: 16.811 min Scan# 1506
Delta R.T. -0.001 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Tgt Ion:178	Resp:	361
Ion Ratio	Lower	Upper
178	100	
176	18.6	14.8
179	17.7	12.4









#27
Fluoranthene-d10
Concen: 0.33 ng
RT: 18.813 min Scan# 1767
Delta R.T. -0.008 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29




Instrument :
BNA_N
ClientSampleId :
MW203D-20201213


Tgt Ion:212 Resp: 3830
Ion Ratio Lower Upper
212 100
106 10.6 6.8 10.2#
104 5.9 4.1 6.1



#29
Chrysene-d12
Concen: 0.40 ng
RT: 20.992 min Scan# 2100
Delta R.T. -0.013 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Tgt Ion:240 Resp: 3948
Ion Ratio Lower Upper
240 100
120 15.4 5.3 7.9#
236 28.8 21.8 32.8









#31
Terphenyl-d14
Concen: 0.33 ng
RT: 19.429 min Scan# 1891
Delta R.T. -0.018 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Instrument :
BNA_N
ClientSampleId :
MW203D-20201213

Tgt Ion:244 Resp: 3342
Ion Ratio Lower Upper
244 100
212 10.5 7.3 10.9
122 13.0 7.3 10.9#



#36
Perylene-d12
Concen: 0.40 ng
RT: 23.082 min Scan# 2431
Delta R.T. -0.013 min
Lab File: BN013250.D
Acq: 21 Dec 2020 23:29

Tgt Ion:264 Resp: 4664
Ion Ratio Lower Upper
264 100
260 26.3 19.8 29.6
265 67.4 51.4 77.0

