

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122220\
 Data File : BN013252.D
 Acq On : 22 Dec 2020 00:41
 Operator : CG/JU
 Sample : L5123-09
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW202D-20201213

Quant Time: Dec 22 01:35:15 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121620.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 18 16:11:20 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.338	152	624	0.40	ng	0.00
7) Naphthalene-d8	10.112	136	2303	0.40	ng	# 0.00
13) Acenaphthene-d10	13.991	164	1540	0.40	ng	-0.01
19) Phenanthrene-d10	16.763	188	3327	0.40	ng	#-0.01
29) Chrysene-d12	20.995	240	3822	0.40	ng	#-0.01
36) Perylene-d12	23.082	264	4454	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	4.962	112	282	0.11	ng	0.00
5) Phenol-d6	6.565	99	137	0.05	ng	0.02
8) Nitrobenzene-d5	8.541	82	602	0.25	ng	0.01
11) 2-Methylnaphthalene-d10	11.720	152	977	0.24	ng	0.00
14) 2,4,6-Tribromophenol	15.526	330	260	0.27	ng	-0.01
15) 2-Fluorobiphenyl	12.621	172	1649	0.26	ng	-0.01
27) Fluoranthene-d10	18.811	212	3984	0.36	ng	0.00
31) Terphenyl-d14	19.432	244	3499	0.36	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	2.925	88	752	0.69	ng	Qvalue 92
25) Phenanthrene	16.812	178	237	0.02	ng	# 82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122220\
Data File : BN013252.D
Acq On : 22 Dec 2020 00:41
Operator : CG/JU
Sample : L5123-09
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW202D-20201213

Quant Time: Dec 22 01:35:15 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121620.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 18 16:11:20 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.338 min Scan# 566
Delta R.T. -0.008 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41




Instrument :
BNA_N
ClientSampleId :
MW202D-20201213


Tgt Ion:152 Resp: 624
Ion Ratio Lower Upper
152 100
150 150.2 116.6 174.8
115 78.9 52.9 79.3



#2
1,4-Dioxane
Concen: 0.69 ng
RT: 2.925 min Scan# 18
Delta R.T. -0.008 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Tgt Ion: 88 Resp: 752
Ion Ratio Lower Upper
88 100
58 69.1 59.4 89.2
43 47.3 32.3 48.5









#4
2-Fluorophenol
Concen: 0.11 ng
RT: 4.962 min Scan# 271
Delta R.T. 0.000 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Instrument :
BNA_N
ClientSampleId :
MW202D-20201213

Tgt Ion:112 Resp: 282




Ion	Ratio	Lower	Upper
112	100		
64	67.4	49.5	74.3
63	39.0	32.0	48.0




#5
Phenol-d6
Concen: 0.05 ng
RT: 6.565 min Scan# 470
Delta R.T. 0.016 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Tgt Ion: 99 Resp: 137

Ion	Ratio	Lower	Upper
99	100		
42	29.2	22.4	33.6
71	25.5	37.8	56.6









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.112 min Scan# 829
Delta R.T. 0.000 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Instrument :
BNA_N
ClientSampleId :
MW202D-20201213

Tgt Ion: 136 Resp: 2303




Ion	Ratio	Lower	Upper
136	100		
137	16.6	10.6	15.8#
54	15.0	8.6	12.8#
68	11.9	5.7	8.5#




#8
Nitrobenzene-d5
Concen: 0.25 ng
RT: 8.541 min Scan# 705
Delta R.T. 0.013 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Tgt Ion: 82 Resp: 602

Ion	Ratio	Lower	Upper
82	100		
128	57.4	30.6	46.0#
54	72.8	48.3	72.5#









#11
2-Methylnaphthalene-d10
Concen: 0.24 ng
RT: 11.720 min Scan# 987
Delta R.T. -0.004 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41




Instrument :
BNA_N
ClientSampleId :
MW202D-20201213


Tgt Ion:152 Resp: 977
Ion Ratio Lower Upper
152 100
151 21.2 16.7 25.1



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 13.991 min Scan# 1281
Delta R.T. -0.013 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Tgt Ion:164 Resp: 1540
Ion Ratio Lower Upper
164 100
162 106.9 80.6 120.8
160 54.6 39.5 59.3









#14
2,4,6-Tribromophenol
Concen: 0.27 ng
RT: 15.526 min Scan# 1402
Delta R.T. -0.013 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41




Instrument :
BNA_N
ClientSampleId :
MW202D-20201213


Tgt Ion:330 Resp: 260
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 43.5 34.4 51.6



#15
2-Fluorobiphenyl
Concen: 0.26 ng
RT: 12.621 min Scan# 1173
Delta R.T. -0.013 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Tgt Ion:172 Resp: 1649
Ion Ratio Lower Upper
172 100
171 38.5 28.2 42.4
170 27.6 20.0 30.0









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.763 min Scan# 1502
Delta R.T. -0.012 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41




Instrument :
BNA_N
ClientSampleId :
MW202D-20201213


Tgt Ion:188 Resp: 3327
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.0 5.0 7.4#



#25
Phenanthrene
Concen: 0.02 ng
RT: 16.812 min Scan# 1506
Delta R.T. 0.000 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Tgt Ion:178 Resp: 237
Ion Ratio Lower Upper
178 100
176 25.7 14.8 22.2#
179 24.1 12.4 18.6#









#27
Fluoranthene-d10
Concen: 0.36 ng
RT: 18.811 min Scan# 1765
Delta R.T. -0.010 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41




Instrument :
BNA_N
ClientSampleId :
MW202D-20201213


Tgt Ion:212	Resp:	3984
Ion Ratio	Lower	Upper
212	100	
106	9.7	6.8 10.2
104	5.9	4.1 6.1



#29
Chrysene-d12
Concen: 0.40 ng
RT: 20.995 min Scan# 2099
Delta R.T. -0.011 min
Lab File: BN013252.D
Acq: 22 Dec 2020 00:41

Tgt Ion:240	Resp:	3822
Ion Ratio	Lower	Upper
240	100	
120	12.7	5.3 7.9#
236	28.7	21.8 32.8









#31
 Terphenyl-d14
 Concen: 0.36 ng
 RT: 19.432 min Scan# 1890
 Delta R.T. -0.015 min
 Lab File: BN013252.D
 Acq: 22 Dec 2020 00:41

Instrument :
 BNA_N
 ClientSampleId :
 MW202D-20201213

Tgt Ion:244	Resp:	3499
Ion Ratio	Lower	Upper
244	100	
212	10.1	7.3 10.9
122	11.4	7.3 10.9#



#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.082 min Scan# 2429
 Delta R.T. -0.014 min
 Lab File: BN013252.D
 Acq: 22 Dec 2020 00:41

Tgt Ion:264	Resp:	4454
Ion Ratio	Lower	Upper
264	100	
260	26.5	19.8 29.6
265	68.5	51.4 77.0

