

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122220\
 Data File : BN013258.D
 Acq On : 22 Dec 2020 04:18
 Operator : CG/JU
 Sample : L5123-18
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT180D-20201214

Quant Time: Dec 22 05:25:19 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121620.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 18 16:11:20 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.338	152	718	0.40	ng	0.00
7) Naphthalene-d8	10.112	136	2339	0.40	ng	# 0.00
13) Acenaphthene-d10	13.991	164	1546	0.40	ng	-0.01
19) Phenanthrene-d10	16.775	188	3585	0.40	ng	# 0.00
29) Chrysene-d12	20.992	240	3745	0.40	ng	#-0.01
36) Perylene-d12	23.082	264	4260	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	4.962	112	244	0.08	ng	0.00
5) Phenol-d6	6.565	99	139	0.05	ng	0.02
8) Nitrobenzene-d5	8.540	82	579	0.24	ng	0.01
11) 2-Methylnaphthalene-d10	11.724	152	923	0.22	ng	0.00
14) 2,4,6-Tribromophenol	15.539	330	223	0.23	ng	0.00
15) 2-Fluorobiphenyl	12.621	172	1468	0.23	ng	-0.01
27) Fluoranthene-d10	18.813	212	4003	0.34	ng	0.00
31) Terphenyl-d14	19.429	244	3575	0.38	ng	-0.02
Target Compounds						
2) 1,4-Dioxane	2.933	88	326	0.26	ng	Qvalue 87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122220\
Data File : BN013258.D
Acq On : 22 Dec 2020 04:18
Operator : CG/JU
Sample : L5123-18
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT180D-20201214

Quant Time: Dec 22 05:25:19 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN121620.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 18 16:11:20 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.338 min Scan# 566
Delta R.T. -0.008 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18




Instrument :
BNA_N
ClientSampleId :
TT180D-20201214


Tgt Ion:152 Resp: 718
Ion Ratio Lower Upper
152 100
150 143.4 116.6 174.8
115 75.1 52.9 79.3



#2
1,4-Dioxane
Concen: 0.26 ng
RT: 2.933 min Scan# 19
Delta R.T. -0.000 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18

Tgt Ion: 88 Resp: 326
Ion Ratio Lower Upper
88 100
58 88.7 59.4 89.2
43 44.2 32.3 48.5









#4
2-Fluorophenol
Concen: 0.08 ng
RT: 4.962 min Scan# 271
Delta R.T. -0.000 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18




Instrument :
BNA_N
ClientSampleId :
TT180D-20201214


Tgt Ion:	112	Resp:	244
Ion	Ratio	Lower	Upper
112	100		
64	69.7	49.5	74.3
63	49.6	32.0	48.0



#5
Phenol-d6
Concen: 0.05 ng
RT: 6.565 min Scan# 470
Delta R.T. 0.016 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18

Tgt Ion:	99	Resp:	139
Ion	Ratio	Lower	Upper
99	100		
42	0.0	22.4	33.6
71	30.9	37.8	56.6









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.112 min Scan# 829
Delta R.T. -0.000 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18

Instrument :
BNA_N
ClientSampleId :
TT180D-20201214

Tgt Ion: 136 Resp: 2339




Ion	Ratio	Lower	Upper
136	100		
137	17.1	10.6	15.8#
54	17.7	8.6	12.8#
68	12.4	5.7	8.5#




#8
Nitrobenzene-d5
Concen: 0.24 ng
RT: 8.540 min Scan# 705
Delta R.T. 0.013 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18

Tgt Ion: 82 Resp: 579

Ion	Ratio	Lower	Upper
82	100		
128	56.9	30.6	46.0#
54	76.5	48.3	72.5#









#11
2-Methylnaphthalene-d10
Concen: 0.22 ng
RT: 11.724 min Scan# 988
Delta R.T. -0.000 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18




Instrument :
BNA_N
ClientSampleId :
TT180D-20201214


Tgt Ion:152 Resp: 923
Ion Ratio Lower Upper
152 100
151 19.0 16.7 25.1



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 13.991 min Scan# 1281
Delta R.T. -0.013 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18

Tgt Ion:164 Resp: 1546
Ion Ratio Lower Upper
164 100
162 108.8 80.6 120.8
160 56.5 39.5 59.3









#14
2,4,6-Tribromophenol
Concen: 0.23 ng
RT: 15.539 min Scan# 1403
Delta R.T. -0.000 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18




Instrument :
BNA_N
ClientSampleId :
TT180D-20201214


Tgt Ion:330 Resp: 223
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 56.5 34.4 51.6#



#15
2-Fluorobiphenyl
Concen: 0.23 ng
RT: 12.621 min Scan# 1173
Delta R.T. -0.013 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18

Tgt Ion:172 Resp: 1468
Ion Ratio Lower Upper
172 100
171 39.6 28.2 42.4
170 29.8 20.0 30.0









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.775 min Scan# 1503
Delta R.T. -0.001 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18




Instrument :
BNA_N
ClientSampleId :
TT180D-20201214


Tgt Ion:188	Resp:	3585
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	10.4	5.0



#27
Fluoranthene-d10
Concen: 0.34 ng
RT: 18.813 min Scan# 1767
Delta R.T. -0.008 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18

Tgt Ion:212	Resp:	4003
Ion Ratio	Lower	Upper
212	100	
106	9.5	6.8
104	5.8	4.1









#29
Chrysene-d12
Concen: 0.40 ng
RT: 20.992 min Scan# 2100
Delta R.T. -0.013 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18




Instrument :
BNA_N
ClientSampleId :
TT180D-20201214


Tgt Ion:240 Resp: 3745
Ion Ratio Lower Upper
240 100
120 14.2 5.3 7.9#
236 29.6 21.8 32.8



#31
Terphenyl-d14
Concen: 0.38 ng
RT: 19.429 min Scan# 1891
Delta R.T. -0.018 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18


Tgt Ion:244 Resp: 3575
Ion Ratio Lower Upper
244 100
212 10.6 7.3 10.9
122 12.1 7.3 10.9#





#36
Perylene-d12
Concen: 0.40 ng
RT: 23.082 min Scan# 2431
Delta R.T. -0.013 min
Lab File: BN013258.D
Acq: 22 Dec 2020 04:18

Instrument :
BNA_N
ClientSampleId :
TT180D-20201214



Tgt Ion:264 Resp: 4260

Ion	Ratio	Lower	Upper
264	100		
260	26.8	19.8	29.6
265	73.8	51.4	77.0

