

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122222\
 Data File : BN023340.D
 Acq On : 22 Dec 2022 15:37
 Operator : CG/JU
 Sample : N6003-23
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBXV2

Quant Time: Dec 22 23:53:47 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 22 02:28:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.998	152	7241	0.400	ng/ul	0.00
4) Naphthalene-d8	10.815	136	23910	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.645	164	14287	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.390	188	33766	0.400	ng/ul	0.00
17) Chrysene-d12	21.581	240	26929	0.400	ng/ul	0.00
23) Perylene-d12	24.028	264	22255	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.345	96	30961	3.935	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.405	152	9748	0.264	ng/ul	0.00
18) Fluoranthene-d10	19.420	212	24566	0.252	ng/ul	0.00
Target Compounds						
						Qvalue
5) Naphthalene	10.865	128	3296	0.047	ng/ul#	92
7) 2-Methylnaphthalene	12.476	142	1654	0.037	ng/ul	92
8) 1-Methylnaphthalene	12.696	142	1203	0.026	ng/ul	97
10) Acenaphthylene	14.368	152	3775	0.060	ng/ul#	94
11) Acenaphthene	14.705	153	1612	0.030	ng/ul	97
12) Fluorene	15.695	166	1646	0.027	ng/ul#	97
15) Phenanthrene	17.432	178	42195	0.384	ng/ul	100
16) Anthracene	17.525	178	8995	0.099	ng/ul	96
19) Fluoranthene	19.448	202	123415	0.945	ng/ul	99
20) Pyrene	19.815	202	96382	0.732	ng/ul	97
21) Benzo(a)anthracene	21.563	228	59453	0.567	ng/ul	98
22) Chrysene	21.616	228	68769	0.645	ng/ul	97
24) Benzo(b)fluoranthene	23.279	252	119401	1.037	ng/ul	97
26) Benzo(a)pyrene	23.919	252	49390	0.542	ng/ul	98
27) Indeno(1,2,3-cd)pyrene	26.580	276	34814	0.327	ng/ul#	99
28) Dibenzo(a,h)anthracene	26.597	278	9145	0.111	ng/ul#	79
29) Benzo(g,h,i)perylene	27.369	276	26418	0.305	ng/ul	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122222\
Data File : BN023340.D
Acq On : 22 Dec 2022 15:37
Operator : CG/JU
Sample : N6003-23
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBXV2

Quant Time: Dec 22 23:53:47 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 22 02:28:40 2022
Response via : Initial Calibration





#5

Naphthalene

Concen: 0.047 ng/ul

RT: 10.865 min Scan# 1800

Delta R.T. 0.000 min

Lab File: BN023340.D

Acq: 22 Dec 2022 15:37

Instrument :

BNA_N

ClientSampleId :

DBXV2





Tgt Ion:128 Resp: 3296

Ion Ratio Lower Upper

128 100

129 15.4 9.0 13.4#

127 15.3 10.7 16.1



#7

2-Methylnaphthalene

Concen: 0.037 ng/ul

RT: 12.476 min Scan# 2093

Delta R.T. 0.000 min

Lab File: BN023340.D




Acq: 22 Dec 2022 15:37


Tgt Ion:142 Resp: 1654

Ion Ratio Lower Upper

142 100

141 97.0 71.4 107.2









#8
1-Methylnaphthalene
Concen: 0.026 ng/ul
RT: 12.696 min Scan# 2133
Delta R.T. 0.000 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37




Instrument :
BNA_N
ClientSampleId :
DBXV2


Tgt Ion:142 Resp: 1203
Ion Ratio Lower Upper
142 100
141 95.2 74.0 111.0



#10
Acenaphthylene
Concen: 0.060 ng/ul
RT: 14.368 min Scan# 2470
Delta R.T. -0.001 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37

Tgt Ion:152 Resp: 3775
Ion Ratio Lower Upper
152 100
151 22.0 16.1 24.1
153 16.8 10.9 16.3#









#11
Acenaphthene
Concen: 0.030 ng/ul
RT: 14.705 min Scan# 21
Delta R.T. -0.001 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37




Instrument :
BNA_N
ClientSampleId :
DBXV2


Tgt Ion:153 Resp: 1612
Ion Ratio Lower Upper
153 100
152 53.8 41.0 61.4
154 88.9 69.5 104.3



#12
Fluorene
Concen: 0.027 ng/ul
RT: 15.695 min Scan# 2757
Delta R.T. 0.004 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37

Tgt Ion:166 Resp: 1646
Ion Ratio Lower Upper
166 100
165 99.5 79.1 118.7
167 20.2 11.0 16.4#









#15
Phenanthrene
Concen: 0.384 ng/ul
RT: 17.432 min Scan# 3162
Delta R.T. -0.001 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37




Instrument :
BNA_N
ClientSampleId :
DBXV2


Tgt Ion:178 Resp: 42195
Ion Ratio Lower Upper
178 100
179 15.7 12.5 18.7
176 19.8 15.7 23.5



#16
Anthracene
Concen: 0.099 ng/ul
RT: 17.525 min Scan# 3184
Delta R.T. -0.001 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37

Tgt Ion:178 Resp: 8995
Ion Ratio Lower Upper
178 100
179 17.9 12.6 18.8
176 20.5 15.4 23.0









#19
Fluoranthene
Concen: 0.945 ng/ul
RT: 19.448 min Scan# 3619
Delta R.T. -0.001 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37




Instrument :
BNA_N
ClientSampleId :
DBXV2


Tgt Ion:202 Resp: 123415
Ion Ratio Lower Upper
202 100
101 12.1 9.4 14.2
100 9.0 7.0 10.6



#20
Pyrene
Concen: 0.732 ng/ul
RT: 19.815 min Scan# 3698
Delta R.T. 0.004 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37


Tgt Ion:202 Resp: 96382
Ion Ratio Lower Upper
202 100
101 12.9 11.3 16.9
100 10.1 9.0 13.4








#21
Benzo(a)anthracene
Concen: 0.567 ng/ul
RT: 21.563 min Scan# 4209
Delta R.T. 0.002 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37

Instrument :
BNA_N
ClientSampleId :
DBXV2







Tgt Ion:228 Resp: 59453
Ion Ratio Lower Upper
228 100
229 21.1 15.6 23.4
226 28.3 22.2 33.2



#22
Chrysene
Concen: 0.645 ng/ul
RT: 21.616 min Scan# 4227
Delta R.T. -0.001 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37

Tgt Ion:228 Resp: 68769
Ion Ratio Lower Upper
228 100
226 30.9 24.3 36.5
229 22.2 15.8 23.6









#24
Benzo(b)fluoranthene
Concen: 1.037 ng/ul
RT: 23.279 min Scan# 4794
Delta R.T. 0.005 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37




Instrument :
BNA_N
ClientSampleId :
DBXV2


Tgt Ion:252 Resp: 119401
Ion Ratio Lower Upper
252 100
253 24.7 0.0 49.2
125 19.1 0.0 31.8



#26
Benzo(a)pyrene
Concen: 0.542 ng/ul
RT: 23.919 min Scan# 5015
Delta R.T. 0.005 min
Lab File: BN023340.D
Acq: 22 Dec 2022 15:37

Tgt Ion:252 Resp: 49390
Ion Ratio Lower Upper
252 100
253 25.5 21.4 32.2
125 19.8 16.2 24.4









#27
 Indeno(1,2,3-cd)pyrene
 Concen: 0.327 ng/ul
 RT: 26.580 min Scan# 5855
 Delta R.T. 0.003 min
 Lab File: BN023340.D
 Acq: 22 Dec 2022 15:37




Instrument :
 BNA_N
 ClientSampleId :
 DBXV2


Tgt Ion:276 Resp: 34814
 Ion Ratio Lower Upper
 276 100
 138 28.6 23.4 35.2
 227 0.0 0.0 0.0



#28
 Dibenzo(a,h)anthracene
 Concen: 0.111 ng/ul
 RT: 26.597 min Scan# 5861
 Delta R.T. -0.004 min
 Lab File: BN023340.D
 Acq: 22 Dec 2022 15:37

Tgt Ion:278 Resp: 9145
 Ion Ratio Lower Upper
 278 100
 139 31.9 16.6 24.8#
 279 35.9 21.3 31.9#





#29
 Benzo(g,h,i)perylene
 Concen: 0.305 ng/ul
 RT: 27.369 min Scan# 6091
 Delta R.T. -0.001 min
 Lab File: BN023340.D
 Acq: 22 Dec 2022 15:37

Instrument :
 BNA_N
 ClientSampleId :
 DBXV2

Tgt Ion:	276	Resp:	26418
Ion Ratio	Lower	Upper	
276	100		
138	28.7	20.3	30.5
277	24.8	19.7	29.5

