

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122222\
 Data File : BN023339.D
 Acq On : 22 Dec 2022 15:00
 Operator : CG/JU
 Sample : N6003-22
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBXV1

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 12/23/2022
 Supervised By :mohammad ahmed 12/23/2022

Quant Time: Dec 22 23:53:37 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 22 02:28:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.998	152	7516	0.400	ng/ul	0.00
4) Naphthalene-d8	10.815	136	24753	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.646	164	14816	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.391	188	34386	0.400	ng/ul	0.00
17) Chrysene-d12	21.579	240	27058	0.400	ng/ul	# 0.00
23) Perylene-d12	24.025	264	22026	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.345	96	34027	4.167	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.405	152	10996	0.287	ng/ul	0.00
18) Fluoranthene-d10	19.421	212	28473	0.291	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.865	128	9964	0.137	ng/ul	97
7) 2-Methylnaphthalene	12.476	142	2578	0.055	ng/ul	99
8) 1-Methylnaphthalene	12.696	142	1201	0.025	ng/ul	100
10) Acenaphthylene	14.369	152	15255	0.232	ng/ul	99
11) Acenaphthene	14.706	153	1357	0.025	ng/ul	98
12) Fluorene	15.692	166	2571	0.041	ng/ul#	96
15) Phenanthrene	17.433	178	37758	0.337	ng/ul	100
16) Anthracene	17.526	178	24854	0.268	ng/ul	99
19) Fluoranthene	19.449	202	107958	0.822	ng/ul	99
20) Pyrene	19.816	202	86312m	0.652	ng/ul	
21) Benzo(a)anthracene	21.561	228	99529	0.945	ng/ul	97
22) Chrysene	21.617	228	156789	1.463	ng/ul	98
24) Benzo(b)fluoranthene	23.277	252	196018m	1.721	ng/ul	
25) Benzo(k)fluoranthene	23.324	252	69885m	0.653	ng/ul	
26) Benzo(a)pyrene	23.920	252	107505	1.192	ng/ul#	92
27) Indeno(1,2,3-cd)pyrene	26.581	276	79293	0.753	ng/ul#	95
28) Dibenzo(a,h)anthracene	26.585	278	21249	0.260	ng/ul#	90
29) Benzo(g,h,i)perylene	27.369	276	57579	0.671	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122222\
Data File : BN023339.D
Acq On : 22 Dec 2022 15:00
Operator : CG/JU
Sample : N6003-22
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
DBXV1

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022


Quant Time: Dec 22 23:53:37 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 22 02:28:40 2022
Response via : Initial Calibration





#5
Naphthalene
Concen: 0.137 ng/ul
RT: 10.865 min Scan# 1800
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Instrument :
BNA_N
ClientSampleId :
DBXV1




Tgt Ion:128 Resp: 9964
Ion Ratio Lower Upper
128 100
129 12.5 9.0 13.4
127 14.1 10.7 16.1

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022




#7
2-Methylnaphthalene
Concen: 0.055 ng/ul
RT: 12.476 min Scan# 2093
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Tgt Ion:142 Resp: 2578
Ion Ratio Lower Upper
142 100
141 90.3 71.4 107.2





#8
1-Methylnaphthalene
Concen: 0.025 ng/ul
RT: 12.696 min Scan# 2133
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Instrument :
BNA_N
ClientSampleId :
DBXV1




Tgt Ion:142 Resp: 120
Ion Ratio Lower Upper
142 100
141 92.8 74.0 111.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022




#10
Acenaphthylene
Concen: 0.232 ng/ul
RT: 14.369 min Scan# 2470
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Tgt Ion:152 Resp: 15255
Ion Ratio Lower Upper
152 100
151 20.3 16.1 24.1
153 14.1 10.9 16.3





#11
Acenaphthene
Concen: 0.025 ng/ul
RT: 14.706 min Scan# 2543
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Instrument :
BNA_N
ClientSampleId :
DBXV1




Tgt Ion:153 Resp: 135
Ion Ratio Lower Upper
153 100
152 54.7 41.0 61.4
154 87.3 69.5 104.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022




#12
Fluorene
Concen: 0.041 ng/ul
RT: 15.692 min Scan# 2756
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Tgt Ion:166 Resp: 2571
Ion Ratio Lower Upper
166 100
165 101.6 79.1 118.7
167 19.0 11.0 16.4#





#15
Phenanthrene
Concen: 0.337 ng/u1
RT: 17.433 min Scan# 3162
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Instrument :
BNA_N
ClientSampleId :
DBXV1



Tgt Ion:178 Resp: 37758
Ion Ratio Lower Upper
178 100
179 15.7 12.5 18.7
176 19.7 15.7 23.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022



#16
Anthracene
Concen: 0.268 ng/u1
RT: 17.526 min Scan# 3184
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00


Tgt Ion:178 Resp: 24854
Ion Ratio Lower Upper
178 100
179 16.2 12.6 18.8
176 19.3 15.4 23.0





#19
Fluoranthene
Concen: 0.822 ng/u1
RT: 19.449 min Scan# 3619
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Instrument :
BNA_N
ClientSampleId :
DBXV1




Tgt Ion:202 Resp: 107958
Ion Ratio Lower Upper
202 100
101 12.1 9.4 14.2
100 9.0 7.0 10.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022




#20
Pyrene
Concen: 0.652 ng/u1 m
RT: 19.816 min Scan# 3698
Delta R.T. 0.005 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Tgt Ion:202 Resp: 86312
Ion Ratio Lower Upper
202 100
101 13.0 11.3 16.9
100 10.3 9.0 13.4





#21
Benzo(a)anthracene
Concen: 0.945 ng/u1
RT: 21.561 min Scan# 4208
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Instrument :
BNA_N
ClientSampleId :
DBXV1




Tgt Ion:228 Resp: 99529
Ion Ratio Lower Upper
228 100
229 21.4 15.6 23.4
226 29.0 22.2 33.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022




#22
Chrysene
Concen: 1.463 ng/u1
RT: 21.617 min Scan# 4227
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Tgt Ion:228 Resp: 156789
Ion Ratio Lower Upper
228 100
226 30.6 24.3 36.5
229 21.8 15.8 23.6





#24
Benzo(b)fluoranthene
Concen: 1.721 ng/ul m
RT: 23.277 min Scan# 4795
Delta R.T. 0.003 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00




Instrument :
BNA_N
ClientSampleId :
DBXV1




Tgt Ion:252 Resp: 196018
Ion Ratio Lower Upper
252 100
253 23.9 0.0 49.2
125 15.2 0.0 31.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022




#25
Benzo(k)fluoranthene
Concen: 0.653 ng/ul m
RT: 23.324 min Scan# 4811
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00



Tgt Ion:252 Resp: 69885
Ion Ratio Lower Upper
252 100
253 24.7 19.8 29.6
125 18.6 12.6 18.8









#26
Benzo(a)pyrene
Concen: 1.192 ng/ul
RT: 23.920 min Scan# 5012
Delta R.T. 0.006 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00

Instrument :
BNA_N
ClientSampleId :
DBXV1

Tgt Ion:252 Resp: 10750
Ion Ratio Lower Upper
252 100
253 23.7 21.4 32.2
125 15.2 16.2 24.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022



#27
Indeno(1,2,3-cd)pyrene
Concen: 0.753 ng/ul
RT: 26.581 min Scan# 5856
Delta R.T. 0.003 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00

Tgt Ion:276 Resp: 79293
Ion Ratio Lower Upper
276 100
138 26.7 23.4 35.2
227 0.0 0.0 0.0





#28
Dibenzo(a,h)anthracene
Concen: 0.260 ng/ul
RT: 26.585 min Scan# 5861
Delta R.T. -0.017 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00

Instrument :

BNA_N

ClientSampleId :





DBXV1

Tgt Ion:278 Resp: 21249
Ion Ratio Lower Upper
278 100
139 26.8 16.6 24.8
279 30.8 21.3 31.9

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 12/23/2022
Supervised By :mohammad ahmed 12/23/2022



#29
Benzo(g,h,i)perylene
Concen: 0.671 ng/ul
RT: 27.369 min Scan# 6091
Delta R.T. 0.000 min
Lab File: BN023339.D
Acq: 22 Dec 2022 15:00

Tgt Ion:276 Resp: 57579
Ion Ratio Lower Upper
276 100
138 25.9 20.3 30.5
277 24.0 19.7 29.5

