

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122324\
 Data File : BN035836.D
 Acq On : 25 Dec 2024 01:05
 Operator : RC/JU
 Sample : P5376-19
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT188S1-20241219

Quant Time: Dec 25 02:35:26 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112724.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 19 23:06:19 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/26/2024
 Supervised By :mohammad ahmed 12/26/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.257	152	3201	0.400	ng	-0.01
7) Naphthalene-d8	10.009	136	7225	0.400	ng	-0.01
13) Acenaphthene-d10	13.925	164	4592	0.400	ng	-0.01
19) Phenanthrene-d10	16.698	188	9284	0.400	ng	# 0.00
29) Chrysene-d12	20.947	240	7823	0.400	ng	# 0.00
35) Perylene-d12	23.032	264	7346	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	4.925	112	813	0.101	ng	-0.01
5) Phenol-d6	6.485	99	377	0.039	ng	0.00
8) Nitrobenzene-d5	8.408	82	1685m	0.382	ng	0.00
11) 2-Methylnaphthalene-d10	11.626	152	3842	0.340	ng	0.00
14) 2,4,6-Tribromophenol	15.453	330	593	0.182	ng	0.00
15) 2-Fluorobiphenyl	12.544	172	6127	0.353	ng	0.00
27) Fluoranthene-d10	18.752	212	11461	0.435	ng	0.00
31) Terphenyl-d14	19.379	244	8539	0.553	ng	0.00
Target Compounds						
2) 1,4-Dioxane	2.982	88	618	0.202	ng	# 77
34) Bis(2-ethylhexyl)phtha...	20.893	149	434	0.040	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122324\
Data File : BN035836.D
Acq On : 25 Dec 2024 01:05
Operator : RC/JU
Sample : P5376-19
Misc :
ALS Vial : 28 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219

Quant Time: Dec 25 02:35:26 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN112724.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 19 23:06:19 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.257 min Scan# 606
Delta R.T. -0.015 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05




Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219



Tgt Ion: 152 Resp: 320
Ion Ratio Lower Upper
152 100
150 155.1 124.0 186.0
115 63.7 49.6 74.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024



#2
1,4-Dioxane
Concen: 0.202 ng
RT: 2.982 min Scan# 14
Delta R.T. 0.000 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05

Tgt Ion: 88 Resp: 618
Ion Ratio Lower Upper
88 100
43 37.4 17.2 25.8#
58 42.2 44.5 66.7#









#4
2-Fluorophenol
Concen: 0.101 ng
RT: 4.925 min Scan# 283
Delta R.T. -0.014 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05

Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219

Tgt Ion: 112 Resp: 81
Ion Ratio Lower Upper
112 100
64 52.9 39.8 59.8
63 29.0 21.0 31.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024



#5
Phenol-d6
Concen: 0.039 ng
RT: 6.485 min Scan# 499
Delta R.T. -0.007 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05


Tgt Ion: 99 Resp: 377
Ion Ratio Lower Upper
99 100
42 13.8 11.4 17.2
71 45.1 29.3 43.9#





#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.009 min Scan# 915
Delta R.T. -0.011 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05

Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219






Tgt Ion: 136 Resp: 722

Ion	Ratio	Lower	Upper
136	100		
137	12.9	10.2	15.2
54	7.7	6.1	9.1
68	8.1	6.4	9.6

Manual Integrations
APPROVED




Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024




#8
Nitrobenzene-d5
Concen: 0.382 ng m
RT: 8.408 min Scan# 761
Delta R.T. 0.000 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05

Tgt Ion: 82 Resp: 1685


Ion	Ratio	Lower	Upper
82	100		
128	48.0	33.4	50.0
54	47.1	36.7	55.1





#11
2-Methylnaphthalene-d10
Concen: 0.340 ng
RT: 11.626 min Scan# 1081
Delta R.T. 0.005 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05




Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219




Tgt Ion:152 Resp: 384
Ion Ratio Lower Upper
152 100
151 20.5 16.6 25.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024




#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 13.925 min Scan# 1433
Delta R.T. -0.011 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05




Tgt Ion:164 Resp: 4592
Ion Ratio Lower Upper
164 100
162 104.5 82.2 123.2
160 52.5 40.1 60.1





#14
2,4,6-Tribromophenol
Concen: 0.182 ng
RT: 15.453 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05




Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219



Tgt Ion:330 Resp: 59
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 32.2 26.6 40.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024



#15
2-Fluorobiphenyl
Concen: 0.353 ng
RT: 12.544 min Scan# 1256
Delta R.T. 0.000 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05


Tgt Ion:172 Resp: 6127
Ion Ratio Lower Upper
172 100
171 38.0 29.0 43.4
170 25.3 19.8 29.8





#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.698 min Scan# 10
Delta R.T. 0.000 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05




Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219



Tgt Ion:188 Resp: 9284
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.7 4.6 6.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024



#27
Fluoranthene-d10
Concen: 0.435 ng
RT: 18.752 min Scan# 1875
Delta R.T. -0.009 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05


Tgt Ion:212 Resp: 11461
Ion Ratio Lower Upper
212 100
106 11.9 9.2 13.8
104 6.4 5.3 7.9





#29
Chrysene-d12
Concen: 0.400 ng
RT: 20.947 min Scan# 2010
Delta R.T. -0.009 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05




Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219



Tgt Ion:240 Resp: 782
Ion Ratio Lower Upper
240 100
120 13.5 7.9 11.9
236 30.0 22.9 34.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024



#31
Terphenyl-d14
Concen: 0.553 ng
RT: 19.379 min Scan# 2010
Delta R.T. -0.009 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05


Tgt Ion:244 Resp: 8539
Ion Ratio Lower Upper
244 100
212 9.8 8.1 12.1
122 13.1 10.3 15.5





#34
Bis(2-ethylhexyl)phthalate
Concen: 0.040 ng
RT: 20.893 min Scan# 21
Delta R.T. -0.018 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05




Instrument :
BNA_N
ClientSampleId :
TT188S1-20241219



Tgt Ion:149 Resp: 434
Ion Ratio Lower Upper
149 100
167 25.3 22.2 33.4
279 3.9 2.7 4.1

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/26/2024
Supervised By :mohammad ahmed 12/26/2024



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.032 min Scan# 2627
Delta R.T. -0.009 min
Lab File: BN035836.D
Acq: 25 Dec 2024 01:05

Tgt Ion:264 Resp: 7346
Ion Ratio Lower Upper
264 100
260 27.5 21.4 32.2
265 94.9 40.2 60.4#

