

Data File : BN004207.D
Acq On : 26 Dec 2018 17:46
Operator : JU/SJ
Sample : J6489-05
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
F9F74

Quant Time: Dec 27 04:49:15 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 27 04:46:35 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	27410	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	131516	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.46	164	84967	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.21	188	202370	20.00	ng/ul	0.00
77) Chrysene-d12	21.40	240	247458	20.00	ng/ul	0.00
85) Perylene-d12	23.72	264	275780	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.28	96	2396	5.72	ng/uL	0.00
5) Phenol-d5	6.99	99	10443	3.88	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	28595	19.49	ng/ul	0.00
9) 2-Chlorophenol-d4	7.35	132	34407	16.30	ng/ul	0.00
13) 4-Methylphenol-d8	8.53	113	21499	9.52	ng/ul	0.00
19) Nitrobenzene-d5	8.99	128	21852	20.97	ng/ul	0.00
22) 2-Nitrophenol-d4	9.71	143	25998	22.03	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.25	165	42767	19.76	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	2105	1.04	ng/ul	0.01
43) Dimethylphthalate-d6	13.87	166	165837	21.87	ng/ul	0.00
46) Acenaphthylene-d8	14.16	160	198359	22.04	ng/ul	0.00
51) 4-Nitrophenol-d4	14.69	143	4332	2.76	ng/ul	0.01
57) Fluorene-d10	15.46	176	143031	21.81	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.59	200	25684	17.62	ng/ul	0.00
70) Anthracene-d10	17.31	188	232637	22.75	ng/ul	0.00
78) Pyrene-d10	19.60	212	269906	24.38	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.57	264	350348	23.42	ng/ul	0.00


Target Compounds				Qvalue		
6) Phenol	7.02	94	6385	2.347	ng/ul	98
44) Dimethylphthalate	13.91	163	13534	1.828	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BN004207.D
Acq On : 26 Dec 2018 17:46
Operator : JU/SJ
Sample : J6489-05
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
F9F74

Quant Time: Dec 27 04:49:15 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 27 04:46:35 2018
Response via : Initial Calibration





#6

Phenol

Concen: 2.347 ng/ul

RT: 7.02 min Scan# 685

Delta R.T. -0.00 min

Lab File: BN004207.D

Acq: 26 Dec 2018 17:46

Instrument :

BNA_N

ClientSampleId :

F9F74


Tgt Ion: 94 Resp: 6385

Ion Ratio Lower Upper

94 100

65 27.9 21.2 31.8




66 33.3 26.9 40.3



Abundance Ion 94.00 (93.70 to 94.70): BN004207.D (-651) (-)

Ion 65.00 (64.70 to 65.70): BN004207.D (-651) (-)

Ion 66.00 (65.70 to 66.70): BN004207.D (-651) (-)



#44

Dimethylphthalate

Concen: 1.828 ng/ul

RT: 13.91 min Scan# 1857

Delta R.T. -0.01 min

Lab File: BN004207.D

Acq: 26 Dec 2018 17:46


Tgt Ion: 163 Resp: 13534

Ion Ratio Lower Upper

163 100

194 4.6 3.4 5.0

164 10.6 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): BN004207.D (-1824) (-)

Ion 194.00 (193.70 to 194.70): BN004207.D (-1824) (-)

Ion 164.00 (163.70 to 164.70): BN004207.D (-1824) (-)

