

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN122618\
 Data File : BN004217.D
 Acq On : 26 Dec 2018 23:34
 Operator : JU/SJ
 Sample : J6489-15
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 F9F78

Quant Time: Dec 27 05:40:24 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 27 04:46:35 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	26911	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	134203	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.46	164	86582	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.21	188	210113	20.00	ng/ul	0.00
77) Chrysene-d12	21.40	240	264319	20.00	ng/ul	0.00
85) Perylene-d12	23.72	264	303970	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.28	96	2110	5.13	ng/uL	0.00
5) Phenol-d5	6.99	99	12455	4.71	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	35492	24.64	ng/ul	0.00
9) 2-Chlorophenol-d4	7.36	132	41324	19.93	ng/ul	0.00
13) 4-Methylphenol-d8	8.53	113	26648	12.02	ng/ul	0.00
19) Nitrobenzene-d5	8.99	128	28042	26.37	ng/ul	0.00
22) 2-Nitrophenol-d4	9.71	143	33015	27.42	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.25	165	53002	23.99	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	4820	2.33	ng/ul	0.00
43) Dimethylphthalate-d6	13.87	166	222765	28.82	ng/ul	0.00
46) Acenaphthylene-d8	14.16	160	257210	28.05	ng/ul	0.00
51) 4-Nitrophenol-d4	14.70	143	7062	4.42	ng/ul	0.02
57) Fluorene-d10	15.46	176	191194	28.61	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.59	200	39290	25.96	ng/ul	0.00
70) Anthracene-d10	17.31	188	330808	31.16	ng/ul	0.00
78) Pyrene-d10	19.60	212	380682	32.19	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.57	264	523048	31.72	ng/ul	0.00


Target Compounds					Ovalue	
33) 4-Chloro-3-methylphenol	11.92	107	7133	2.884	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN122618\
Data File : BN004217.D
Acq On : 26 Dec 2018 23:34
Operator : JU/SJ
Sample : J6489-15
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
F9F78

Quant Time: Dec 27 05:40:24 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 27 04:46:35 2018
Response via : Initial Calibration





#33

4-Chloro-3-methylphenol

Concen: 2.884 ng/ul

RT: 11.92 min Scan# 1518

Delta R.T. 0.01 min

Lab File: BN004217.D

Acq: 26 Dec 2018 23:34

Instrument :

BNA_N

ClientSampleId :

F9F78



Tot Ion:107 Resp: 7133

Ion Ratio Lower Upper

107 100

144 25.0 21.1 31.7

142 82.4 65.0 97.4



Abundance Ion 107.00 (106.70 to 107.70): E

Ion 144.00 (143.70 to 144.70): E

Ion 142.00 (141.70 to 142.70): E

