

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN122819\
 Data File : BN009202.D
 Acq On : 27 Dec 2019 19:40
 Operator : JU
 Sample : PB125633BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Dec 27 23:11:57 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 27 23:08:48 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.51	152	2178	0.40	ng/ul	0.00
2) Naphthalene-d8	10.27	136	7734	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.14	164	4273	0.40	ng/ul	0.00
10) Phenanthrene-d10	0.00	188	0	0.00	ng/ul	-16.89
16) Chrysene-d12	21.09	240	7156	0.40	ng/ul	0.00
20) Perylene-d12	23.21	264	7118	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.86	152	4048	0.29	ng/ul	0.00
14) Fluoranthene-d10	18.93	212	7419	0.00	ng/ul	0.00
Target Compounds				Ovalue		
9) Fluorene	15.14	166	1145	0.055	ng/ul#	15
17) Pyrene	19.29	202	1194	0.033	ng/ul#	1
21) Benzo(b)fluoranthene	22.59	252	963	0.029	ng/ul#	9
23) Benzo(a)pyrene	23.09	252	2519	0.086	ng/ul#	47


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN122819\
Data File : BN009202.D
Acq On : 27 Dec 2019 19:40
Operator : JU
Sample : PB125633BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Dec 27 23:11:57 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 27 23:08:48 2019
Response via : Initial Calibration





#9

Fluorene

Concen: 0.055 ng/ul

RT: 15.14 min Scan# 3245

Delta R.T. -0.06 min

Lab File: BN009202.D

Acq: 27 Dec 2019 19:40

Instrument :

BNA_N

ClientSampleId :


Tot Ion:166 Resp: 1145

Ion Ratio Lower Upper

166 100

165 9.5 78.2 117.4#




167 36.7 11.0 16.6#



Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E



#17

Pyrene

Concen: 0.033 ng/ul

RT: 19.29 min Scan# 4193

Delta R.T. -0.03 min

Lab File: BN009202.D

Acq: 27 Dec 2019 19:40


Tgt Ion:202 Resp: 1194

Ion Ratio Lower Upper

202 100

101 165.4 10.9 16.3#



100 1039.5 9.0 13.6#




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E





#21

Benzo(b)fluoranthene

Concen: 0.029 ng/ul

RT: 22.59 min Scan# 5168

Delta R.T. 0.01 min

Lab File: BN009202.D

Acq: 27 Dec 2019 19:40

Instrument :

BNA_N

ClientSampled :


Tot Ion:252 Resp: 963

Ion Ratio Lower Upper

252 100

253 61.0 0.0 48.2#




125 63.9 0.0 30.0#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#23

Benzo(a)pyrene

Concen: 0.086 ng/ul

RT: 23.09 min Scan# 5337

Delta R.T. -0.04 min

Lab File: BN009202.D

Acq: 27 Dec 2019 19:40


Tgt Ion:252 Resp: 2519

Ion Ratio Lower Upper

252 100

253 46.6 20.2 30.4#

125 46.4 13.2 19.8#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

