

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN122819\
 Data File : BN009209.D
 Acq On : 27 Dec 2019 23:53
 Operator : JU
 Sample : K6276-17
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0C73

Manual Integrations
 APPROVED

mohammad
 12/29/2019 5:31:08 PM

Quant Time: Dec 28 04:35:42 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 27 23:08:48 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.51	152	2254	0.40	ng/ul	0.00
2) Naphthalene-d8	10.27	136	8078	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.14	164	4539	0.40	ng/ul	0.00
10) Phenanthrene-d10	16.89	188	9602m	0.40	ng/ul	0.00
16) Chrysene-d12	21.09	240	7969	0.40	ng/ul	0.00
20) Perylene-d12	23.21	264	8126	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.86	152	3431	0.24	ng/ul	0.00
14) Fluoranthene-d10	18.93	212	8155	0.29	ng/ul	0.00
Target Compounds						
21) Benzo(b)fluoranthene	22.59	252	936	0.025	ng/ul#	Ovalue 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN122819\
Data File : BN009209.D
Acq On : 27 Dec 2019 23:53
Operator : JU
Sample : K6276-17
Misc :
ALS Vial : 12 Sample Multiplier: 1




Instrument :
BNA_N
ClientSampleId :
C0C73

Manual Integrations
APPROVED

mohammad
12/29/2019 5:31:08 PM

Quant Time: Dec 28 04:35:42 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 27 23:08:48 2019
Response via : Initial Calibration





#21

Benzo(b)fluoranthene

Concen: 0.025 ng/ul

RT: 22.59 min Scan# 5167

Delta R.T. 0.00 min

Lab File: BN009209.D

Acq: 27 Dec 2019 23:53

Instrument :

BNA_N

ClientSampleId :

C0C73

Tot Ion	Ratio	Lower	Upper
252	100		
253	67.0	0.0	48.2#
125	74.0	0.0	30.0#

Manual Integrations
APPROVED

mohammad
12/29/2019 5:31:08 PM

