

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN122819\  
 Data File : BN009250.D  
 Acq On : 29 Dec 2019 04:16  
 Operator : JU  
 Sample : SSTDCCC0.4EC  
 Misc :  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 SSTD0.427

Manual Integrations  
 APPROVED

mohammad  
 12/29/2019 5:33:49 PM

Quant Time: Dec 29 06:06:17 2019  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Sun Dec 29 04:38:59 2019  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units | Dev(Min) |
|-----------------------------|-------|------|----------|--------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 7.51  | 152  | 3045     | 0.40   | ng/ul | 0.00     |
| 2) Naphthalene-d8           | 10.26 | 136  | 10975    | 0.40   | ng/ul | 0.00     |
| 6) Acenaphthene-d10         | 14.14 | 164  | 5624     | 0.40   | ng/ul | 0.00     |
| 10) Phenanthrene-d10        | 16.89 | 188  | 11851    | 0.40   | ng/ul | 0.00     |
| 16) Chrysene-d12            | 21.08 | 240  | 10905    | 0.40   | ng/ul | 0.00     |
| 20) Perylene-d12            | 23.21 | 264  | 11255    | 0.40   | ng/ul | 0.00     |
| System Monitoring Compounds |       |      |          |        |       |          |
| 4) 2-Methylnaphthalene-d10  | 11.86 | 152  | 7021     | 0.36   | ng/ul | 0.00     |
| 14) Fluoranthene-d10        | 18.92 | 212  | 15335    | 0.44   | ng/ul | 0.00     |
| Target Compounds            |       |      |          | Ovalue |       |          |
| 3) Naphthalene              | 10.31 | 128  | 13493    | 0.405  | ng/ul | 100      |
| 5) 2-Methylnaphthalene      | 11.93 | 142  | 9039     | 0.359  | ng/ul | 99       |
| 7) Acenaphthylene           | 13.85 | 152  | 12021    | 0.407  | ng/ul | 99       |
| 8) Acenaphthene             | 14.20 | 153  | 8908     | 0.384  | ng/ul | 100      |
| 9) Fluorene                 | 15.19 | 166  | 10076    | 0.368  | ng/ul | 99       |
| 11) Pentachlorophenol       | 16.55 | 266  | 1516     | 0.480  | ng/ul | 99       |
| 12) Phenanthrene            | 16.93 | 178  | 16474    | 0.400  | ng/ul | 100      |
| 13) Anthracene              | 17.02 | 178  | 15553    | 0.421  | ng/ul | 99       |
| 15) Fluoranthene            | 18.95 | 202  | 20255    | 0.430  | ng/ul | 98       |
| 17) Pyrene                  | 19.32 | 202  | 20817    | 0.374  | ng/ul | 98       |
| 18) Benzo(a)anthracene      | 21.07 | 228  | 20325    | 0.420  | ng/ul | 100      |
| 19) Chrysene                | 21.12 | 228  | 19899    | 0.409  | ng/ul | 98       |
| 21) Benzo(b)fluoranthene    | 22.58 | 252  | 19833    | 0.377  | ng/ul | 98       |
| 22) Benzo(k)fluoranthene    | 22.62 | 252  | 20987m   | 0.396  | ng/ul |          |
| 23) Benzo(a)pyrene          | 23.12 | 252  | 19188    | 0.417  | ng/ul | 99       |
| 24) Indeno(1,2,3-cd)pyrene  | 25.30 | 276  | 22662    | 0.452  | ng/ul | 97       |
| 25) Dibenzo(a,h)anthracene  | 25.31 | 278  | 18134    | 0.454  | ng/ul | 100      |
| 26) Benzo(g,h,i)perylene    | 25.94 | 276  | 19211    | 0.455  | ng/ul | 98       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN122819\  
Data File : BN009250.D  
Acq On : 29 Dec 2019 04:16  
Operator : JU  
Sample : SSTDCCC0.4EC  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
SSTD0.427

Manual Integrations  
APPROVED

mohammad  
12/29/2019 5:33:49 PM

Quant Time: Dec 29 06:06:17 2019  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Sun Dec 29 04:38:59 2019  
Response via : Initial Calibration

