

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR021419\
 Data File : VR026314.D
 Acq On : 14 Feb 2019 16:18
 Operator : SY/MD
 Sample : K1488-04
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ESXD0

Quant Time: Feb 15 04:35:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR021119WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Feb 14 14:16:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	496619	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	423741	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	124654	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.17	65	222358	4.91	ug/L	0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.20%
7) Chloroethane-d5	2.63	69	195336	5.27	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	105.40%
11) 1,1-Dichloroethene-d2	3.63	63	419692	3.85	ug/L	0.02
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.00%
20) 2-Butanone-d5	6.58	46	166286	57.59	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	115.18%
24) Chloroform-d	7.20	84	374267	4.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.60%
26) 1,2-Dichloroethane-d4	7.89	65	146672	5.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.00%
32) Benzene-d6	7.85	84	727203	5.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.60%
36) 1,2-Dichloropropane-d6	8.90	67	188276	5.08	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.60%
41) Toluene-d8	9.97	98	686873	5.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.80%
43) trans-1,3-Dichloropropene-	10.23	79	47623	4.77	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.40%
46) 2-Hexanone-d5	10.59	63	134574	59.38	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	118.76%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	71105	5.05	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	128375	6.15	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	123.00%#


Target Compounds					Ovalue
14) Carbon disulfide	3.94	76	20867	0.135 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR021419\
Data File : VR026314.D
Acq On : 14 Feb 2019 16:18
Operator : SY/MD
Sample : K1488-04
Misc : 25mL/MSVOA R/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ESXD0

Quant Time: Feb 15 04:35:11 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR021119WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Feb 14 14:16:44 2019
Response via : Initial Calibration





#14

Carbon disulfide

Concen: 0.135 ug/L

RT: 3.94 min Scan# 372

Delta R.T. 0.01 min

Lab File: VR026314.D

Acq: 14 Feb 2019 16:18

Instrument :

MSVOA_R

ClientSampleId :

ESXD0

Tot Ion: 76 Resp: 20867

Ion Ratio Lower Upper

76 100

78 8.4 7.2 10.8

