

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR022519\
 Data File : VR026376.D
 Acq On : 25 Feb 2019 15:43
 Operator : SY/MD
 Sample : K1589-01
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C09M2

Quant Time: Feb 26 06:45:02 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR022219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Feb 26 06:18:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	562365	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	466952	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	151684	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	182260	3.31	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	66.20%
7) Chloroethane-d5	2.62	69	167872	3.72	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	74.40%
11) 1,1-Dichloroethene-d2	3.60	63	387628	3.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.00%
20) 2-Butanone-d5	6.58	46	223598	55.69	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	111.38%
24) Chloroform-d	7.20	84	391681	4.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.40%
26) 1,2-Dichloroethane-d4	7.89	65	165549	4.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.00%
32) Benzene-d6	7.85	84	693962	3.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.00%
36) 1,2-Dichloropropane-d6	8.89	67	200572	4.51	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.20%
41) Toluene-d8	9.97	98	604704	3.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.40%
43) trans-1,3-Dichloropropene-	10.23	79	44787	3.81	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.20%
46) 2-Hexanone-d5	10.59	63	180434	60.91	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	121.82%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	78871	4.68	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.60%
64) 1,2-Dichlorobenzene-d4	13.51	152	129574	4.94	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.80%

Target Compounds


					Ovalue
13) Acetone	3.70	43	11245	3.113 ug/L	92
22) cis-1,2-Dichloroethene	6.67	96	23127	0.615 ug/L #	82
34) Trichloroethene	8.71	95	275498	6.103 ug/L	99
47) Tetrachloroethene	10.51	164	5620	0.172 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR022519\
Data File : VR026376.D
Acq On : 25 Feb 2019 15:43
Operator : SY/MD
Sample : K1589-01
Misc : 25mL/MSVOA R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C09M2

Quant Time: Feb 26 06:45:02 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR022219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Feb 26 06:18:07 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.113 ug/L

RT: 3.70 min Scan# 332

Delta R.T. 0.01 min

Lab File: VR026376.D

Acq: 25 Feb 2019 15:43

Instrument :

MSVOA_R

ClientSampleId :





C09M2

Tot Ion: 43 Resp: 11245

Ion Ratio Lower Upper

43 100

58 21.8 0.0 52.2



#22

cis-1,2-Dichloroethene

Concen: 0.615 ug/L

RT: 6.67 min Scan# 820

Delta R.T. -0.01 min

Lab File: VR026376.D

Acq: 25 Feb 2019 15:43




Tgt Ion: 96 Resp: 23127


Ion Ratio Lower Upper

96 100

61 166.3 100.8 187.2

68 1.6 0.1 0.1#





#34

Trichloroethene

Concen: 6.103 ug/L

RT: 8.71 min Scan# 1156

Delta R.T. 0.01 min

Lab File: VR026376.D

Acq: 25 Feb 2019 15:43

Instrument :

MSVOA_R

ClientSampled :

C09M2

Tot Ion: 95 Resp: 275498


Ion Ratio Lower Upper

95 100

97 61.8 43.5 80.7

132 84.5 58.6 108.8

130 86.7 59.4 110.2






Abundance Ion 95.00 (94.70 to 95.70): VR0

Ion 96.95 (96.65 to 97.65): VR0

Ion 131.95 (131.65 to 132.65): V

Ion 129.95 (129.65 to 130.65): V



#47

Tetrachloroethene

Concen: 0.172 ug/L

RT: 10.51 min Scan# 1452

Delta R.T. -0.00 min

Lab File: VR026376.D

Acq: 25 Feb 2019 15:43

Tgt Ion: 164 Resp: 5620


Ion Ratio Lower Upper

164 100

129 70.3 67.2 124.8

131 91.6 67.3 125.1

166 116.6 90.4 167.8



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

