

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR022519\
 Data File : VR026379.D
 Acq On : 25 Feb 2019 17:21
 Operator : SY/MD
 Sample : K1589-04
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C09M5

Quant Time: Feb 26 06:51:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR022219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Feb 26 06:18:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	537392	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	453000	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	141675	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	168523	3.21	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	64.20%
7) Chloroethane-d5	2.62	69	164731	3.82	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	76.40%
11) 1,1-Dichloroethene-d2	3.60	63	361536	2.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.60%#
20) 2-Butanone-d5	6.58	46	244683	63.77	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	127.54%
24) Chloroform-d	7.20	84	392639	4.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.60%
26) 1,2-Dichloroethane-d4	7.89	65	168397	4.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.80%
32) Benzene-d6	7.85	84	686978	4.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.80%
36) 1,2-Dichloropropane-d6	8.89	67	191975	4.45	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.00%
41) Toluene-d8	9.97	98	601221	3.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.40%
43) trans-1,3-Dichloropropene-	10.23	79	46332	4.07	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.40%
46) 2-Hexanone-d5	10.59	63	192194	66.88	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	133.76%#
57) 1,1,2,2-Tetrachloroethane-	12.36	84	79036	4.83	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.60%
64) 1,2-Dichlorobenzene-d4	13.51	152	131196	5.36	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.20%


Target Compounds					Ovalue
34) Trichloroethene	8.71	95	15277	0.349 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR022519\
Data File : VR026379.D
Acq On : 25 Feb 2019 17:21
Operator : SY/MD
Sample : K1589-04
Misc : 25mL/MSVOA R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C09M5

Quant Time: Feb 26 06:51:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR022219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Feb 26 06:18:07 2019
Response via : Initial Calibration





#34

Trichloroethene

Concen: 0.349 ug/L

RT: 8.71 min Scan# 1155

Delta R.T. -0.00 min

Lab File: VR026379.D


Acq: 25 Feb 2019 17:21

Instrument :

MSVOA_R

ClientSampleId :

C09M5



Tot Ion:	95	Resp:	15277
Ion	Ratio	Lower	Upper
95	100		
97	67.7	43.5	80.7
132	95.9	58.6	108.8
130	92.7	59.4	110.2

