

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR022719\
 Data File : VR026401.D
 Acq On : 27 Feb 2019 13:26
 Operator : SY/MD
 Sample : K1585-05
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VHBLK01

Quant Time: Feb 28 07:44:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR022219WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Feb 28 07:30:14 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	449776	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	366077	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	109093	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	214759	4.88	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.60%
7) Chloroethane-d5	2.62	69	172018	4.77	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.40%
11) 1,1-Dichloroethene-d2	3.60	63	418958	4.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	81.20%
20) 2-Butanone-d5	6.59	46	133313	41.51	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	83.02%
24) Chloroform-d	7.20	84	327570	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.40%
26) 1,2-Dichloroethane-d4	7.89	65	129609	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.00%
32) Benzene-d6	7.85	84	619377	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.00%
36) 1,2-Dichloropropane-d6	8.89	67	154461	4.43	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.60%
41) Toluene-d8	9.97	98	571187	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
43) trans-1,3-Dichloropropene-	10.24	79	35303	3.83	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.60%
46) 2-Hexanone-d5	10.59	63	99484	42.84	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.68%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	52323	3.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	79.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	96804	5.14	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.80%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR022719\
Data File : VR026401.D
Acq On : 27 Feb 2019 13:26
Operator : SY/MD
Sample : K1585-05
Misc : 25mL/MSVOA R/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Quant Time: Feb 28 07:44:42 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR022219WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Feb 28 07:30:14 2019
Response via : Initial Calibration

