

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR040419\
 Data File : VR026444.D
 Acq On : 4 Apr 2019 13:42
 Operator : SY/MD
 Sample : K2260-01
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ETJ50

Quant Time: Apr 05 07:36:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Apr 05 07:16:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	496794	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	401838	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	116412	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	187769	4.98	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.60%
7) Chloroethane-d5	2.62	69	155080	4.93	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.60%
11) 1,1-Dichloroethene-d2	3.60	63	372965	3.82	ug/L	-0.02
Spiked Amount	5.000	Range	60 - 125	Recovery	=	76.40%
20) 2-Butanone-d5	6.58	46	154826	46.01	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.02%
24) Chloroform-d	7.20	84	332832	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.80%
26) 1,2-Dichloroethane-d4	7.89	65	143442	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
32) Benzene-d6	7.85	84	600031	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.40%
36) 1,2-Dichloropropane-d6	8.89	67	163785	4.93	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.60%
41) Toluene-d8	9.97	98	551615	4.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.00%
43) trans-1,3-Dichloropropene-	10.23	79	37174	4.21	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.20%
46) 2-Hexanone-d5	10.59	63	122099	51.61	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.22%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	58377	4.50	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	101488	5.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.20%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR040419\
Data File : VR026444.D
Acq On : 4 Apr 2019 13:42
Operator : SY/MD
Sample : K2260-01
Misc : 25mL/MSVOA R/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ETJ50

Quant Time: Apr 05 07:36:15 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Apr 05 07:16:54 2019
Response via : Initial Calibration

