

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR040419\
 Data File : VR026446.D
 Acq On : 4 Apr 2019 14:48
 Operator : SY/MD
 Sample : K2248-03
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 E3YB9

Quant Time: Apr 05 07:41:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Apr 05 07:16:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	461324	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	378816	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	112915	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	170998	4.88	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.60%
7) Chloroethane-d5	2.62	69	152812	5.23	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	104.60%
11) 1,1-Dichloroethene-d2	3.60	63	341476	3.77	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	75.40%
20) 2-Butanone-d5	6.58	46	148536	47.53	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	95.06%
24) Chloroform-d	7.20	84	308328	4.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.60%
26) 1,2-Dichloroethane-d4	7.89	65	129983	4.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.80%
32) Benzene-d6	7.85	84	564278	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.20%
36) 1,2-Dichloropropane-d6	8.89	67	147119	4.69	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.80%
41) Toluene-d8	9.97	98	515760	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
43) trans-1,3-Dichloropropene-	10.23	79	33738	4.06	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.20%
46) 2-Hexanone-d5	10.59	63	120226	53.91	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.82%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	55173	4.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	97996	5.73	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	114.60%

Target Compounds					Ovalue
13) Acetone	3.69	43	17019	5.389 ug/L	92
47) Tetrachloroethene	10.51	164	6674	0.236 ug/L #	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR040419\
Data File : VR026446.D
Acq On : 4 Apr 2019 14:48
Operator : SY/MD
Sample : K2248-03
Misc : 25mL/MSVOA R/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
E3YB9

Quant Time: Apr 05 07:41:24 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Apr 05 07:16:54 2019
Response via : Initial Calibration

