

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR040819\
 Data File : VR026510.D
 Acq On : 8 Apr 2019 14:25
 Operator : SY/MD
 Sample : K2282-12DL 4X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEZ10DL

Quant Time: Apr 09 01:56:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Apr 09 01:39:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	548403	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	454975	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	140409	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	189313	4.54	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.80%
7) Chloroethane-d5	2.62	69	172781	4.97	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.40%
11) 1,1-Dichloroethene-d2	3.61	63	389922	3.62	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.40%
20) 2-Butanone-d5	6.59	46	185235	49.86	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.72%
24) Chloroform-d	7.20	84	383464	4.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.80%
26) 1,2-Dichloroethane-d4	7.90	65	167028	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.40%
32) Benzene-d6	7.85	84	705388	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.00%
36) 1,2-Dichloropropane-d6	8.89	67	193143	5.13	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.60%
41) Toluene-d8	9.97	98	636387	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.80%
43) trans-1,3-Dichloropropene-	10.23	79	40366	4.04	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.80%
46) 2-Hexanone-d5	10.59	63	160475	59.91	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	119.82%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	71882	4.89	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.80%
64) 1,2-Dichlorobenzene-d4	13.51	152	122977	5.78	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.60%

Target Compounds					Ovalue
34) Trichloroethene	8.71	95	225161	4.728 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR040819\
Data File : VR026510.D
Acq On : 8 Apr 2019 14:25
Operator : SY/MD
Sample : K2282-12DL 4X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEZ10DL

Quant Time: Apr 09 01:56:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Apr 09 01:39:02 2019
Response via : Initial Calibration

