

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR040919\
 Data File : VR026547.D
 Acq On : 10 Apr 2019 9:09
 Operator : SY/MD
 Sample : K2289-09
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEZG7

Quant Time: Apr 11 04:02:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 11 03:05:08 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	503999	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	417239	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	118827	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	174415	4.56	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.20%
7) Chloroethane-d5	2.63	69	155892	4.88	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.60%
11) 1,1-Dichloroethene-d2	3.60	63	355370	3.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.80%
20) 2-Butanone-d5	6.59	46	171536	50.24	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.48%
24) Chloroform-d	7.20	84	353782	4.86	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.20%
26) 1,2-Dichloroethane-d4	7.89	65	153271	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.20%
32) Benzene-d6	7.85	84	634561	4.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.20%
36) 1,2-Dichloropropane-d6	8.89	67	173879	5.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.80%
41) Toluene-d8	9.97	98	583411	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.80%
43) trans-1,3-Dichloropropene-	10.24	79	34107	3.72	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.40%
46) 2-Hexanone-d5	10.59	63	139485	56.78	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.56%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	65818	4.89	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.80%
64) 1,2-Dichlorobenzene-d4	13.52	152	115944	6.44	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	128.80%#

Target Compounds				Ovalue
34) Trichloroethene	8.71	95	102423	2.345 ug/L 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR040919\
Data File : VR026547.D
Acq On : 10 Apr 2019 9:09
Operator : SY/MD
Sample : K2289-09
Misc : 25mL/MSVOA R/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEZG7

Quant Time: Apr 11 04:02:03 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 11 03:05:08 2019
Response via : Initial Calibration

