

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR040919\
 Data File : VR026555.D
 Acq On : 10 Apr 2019 16:43
 Operator : SY/MD
 Sample : K2285-05DL 4X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEZC3DL

Quant Time: Apr 11 04:40:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 11 04:17:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	540109	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	442997	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	130244	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	158164	3.85	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.00%
7) Chloroethane-d5	2.62	69	150778	4.41	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.20%
11) 1,1-Dichloroethene-d2	3.61	63	343846	3.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.80%
20) 2-Butanone-d5	6.59	46	167408	45.76	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.52%
24) Chloroform-d	7.20	84	341768	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.60%
26) 1,2-Dichloroethane-d4	7.89	65	148549	4.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.60%
32) Benzene-d6	7.85	84	608502	4.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.80%
36) 1,2-Dichloropropane-d6	8.90	67	170404	4.65	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.00%
41) Toluene-d8	9.97	98	567673	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.60%
43) trans-1,3-Dichloropropene-	10.23	79	34180	3.51	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	70.20%
46) 2-Hexanone-d5	10.59	63	133331	51.12	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.24%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	64279	4.49	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.80%
64) 1,2-Dichlorobenzene-d4	13.52	152	115621	5.86	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	117.20%

Target Compounds					Ovalue
34) Trichloroethene	8.71	95	285734	6.162 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR040919\
Data File : VR026555.D
Acq On : 10 Apr 2019 16:43
Operator : SY/MD
Sample : K2285-05DL 4X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 45 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEZC3DL

Quant Time: Apr 11 04:40:06 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 11 04:17:38 2019
Response via : Initial Calibration

