

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR040919\
 Data File : VR026564.D
 Acq On : 10 Apr 2019 21:32
 Operator : SY/MD
 Sample : K2289-19
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEZJ9

Quant Time: Apr 11 05:03:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 11 04:17:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	529706	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	439897	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	132528	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	148865	3.70	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	74.00%
7) Chloroethane-d5	2.63	69	140467	4.19	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.80%
11) 1,1-Dichloroethene-d2	3.60	63	316669	3.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.80%
20) 2-Butanone-d5	6.59	46	159841	44.55	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	89.10%
24) Chloroform-d	7.20	84	323260	4.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.40%
26) 1,2-Dichloroethane-d4	7.89	65	141796	4.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.20%
32) Benzene-d6	7.85	84	565120	4.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.20%
36) 1,2-Dichloropropane-d6	8.89	67	161148	4.43	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.60%
41) Toluene-d8	9.97	98	515072	4.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.80%
43) trans-1,3-Dichloropropene-	10.24	79	32002	3.31	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	66.20%
46) 2-Hexanone-d5	10.59	63	130426	50.36	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.72%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	63395	4.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.20%
64) 1,2-Dichlorobenzene-d4	13.52	152	111951	5.58	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.60%

Target Compounds				Ovalue
34) Trichloroethene	8.71	95	193008	4.191 ug/L 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR040919\
Data File : VR026564.D
Acq On : 10 Apr 2019 21:32
Operator : SY/MD
Sample : K2289-19
Misc : 25mL/MSVOA R/WATER
ALS Vial : 54 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEZJ9

Quant Time: Apr 11 05:03:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR040319WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 11 04:17:38 2019
Response via : Initial Calibration

