

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR062118\
 Data File : VR025401.D
 Acq On : 21 Jun 2018 17:09
 Operator : SY/MD
 Sample : J3550-15
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VHBLK01

Quant Time: Jun 22 03:55:35 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR061518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 22 02:50:30 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	499670	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	437607	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	146126	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	88757	5.21	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.20%
7) Chloroethane-d5	2.64	69	67745	5.42	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	108.40%
11) 1,1-Dichloroethene-d2	3.65	63	185417	4.24	ug/L	0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	84.80%
20) 2-Butanone-d5	6.60	46	283798	62.21	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	124.42%
24) Chloroform-d	7.20	84	369522	5.81	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	116.20%
26) 1,2-Dichloroethane-d4	7.89	65	152283	6.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	125.20%
32) Benzene-d6	7.86	84	784949	5.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.80%
36) 1,2-Dichloropropane-d6	8.90	67	230479	5.47	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.40%
41) Toluene-d8	9.97	98	692729	5.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.60%
43) trans-1,3-Dichloropropene-	10.24	79	48217	4.30	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.00%
46) 2-Hexanone-d5	10.59	63	238259	61.19	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	122.38%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	105705	6.44	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	128.80%#
64) 1,2-Dichlorobenzene-d4	13.51	152	158369	6.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	127.80%#

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR062118\
Data File : VR025401.D
Acq On : 21 Jun 2018 17:09
Operator : SY/MD
Sample : J3550-15
Misc : 25mL/MSVOA R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Quant Time: Jun 22 03:55:35 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR061518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 22 02:50:30 2018
Response via : Initial Calibration

