

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR062518\
 Data File : VR025427.D
 Acq On : 25 Jun 2018 13:40
 Operator : SY/MD
 Sample : J3674-08
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 DAZB8

Quant Time: Jun 26 01:52:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR061518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 22 22:38:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	530613	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	431366	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	144670	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.16	65	61092	3.38	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	67.60%
7) Chloroethane-d5	2.64	69	55325	4.16	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.20%
11) 1,1-Dichloroethene-d2	3.64	63	173384	3.73	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.60%
20) 2-Butanone-d5	6.61	46	271919	56.13	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.26%
24) Chloroform-d	7.20	84	339077	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.40%
26) 1,2-Dichloroethane-d4	7.90	65	138902	5.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.40%
32) Benzene-d6	7.86	84	679879	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.00%
36) 1,2-Dichloropropane-d6	8.90	67	212000	5.10	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.00%
41) Toluene-d8	9.97	98	562460	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.00%
43) trans-1,3-Dichloropropene-	10.24	79	45392	4.10	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.00%
46) 2-Hexanone-d5	10.59	63	231988	60.44	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	120.88%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	97710	6.04	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	120.80%#
64) 1,2-Dichlorobenzene-d4	13.51	152	138284	5.64	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	112.80%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
5) Vinyl chloride	2.16	62	767987	34.95	ug/L	97
12) 1,1-Dichloroethene	3.66	96	80192	4.30	ug/L	90
17) Methyl tert-butyl Ether	4.91	73	47836	0.86	ug/L	94
18) trans-1,2-Dichloroethene	4.89	96	439847	11.47	ug/L	98
22) cis-1,2-Dichloroethene	6.68	96	14768727	369.11	ug/L #	99
33) Benzene	7.91	78	246860	1.46	ug/L	100
34) Trichloroethene	8.71	95	6648370	162.25	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR062518\
Data File : VR025427.D
Acq On : 25 Jun 2018 13:40
Operator : SY/MD
Sample : J3674-08
Misc : 25mL/MSVOA R/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
DAZB8

Quant Time: Jun 26 01:52:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR061518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 22 22:38:28 2018
Response via : Initial Calibration

