

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR070518\
 Data File : VR025445.D
 Acq On : 5 Jul 2018 18:36
 Operator : SY/MD
 Sample : J3781-05
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VHBLK01

Quant Time: Jul 06 01:41:38 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jul 05 15:29:58 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	650448	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	548519	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	187023	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	99125	5.53	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	110.60%
7) Chloroethane-d5	2.62	69	83436	5.46	ug/L	-0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.20%
11) 1,1-Dichloroethene-d2	3.63	63	212184	3.91	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.20%
20) 2-Butanone-d5	6.60	46	297939	53.49	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.98%
24) Chloroform-d	7.20	84	416936	4.70	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.00%
26) 1,2-Dichloroethane-d4	7.90	65	166333	4.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.80%
32) Benzene-d6	7.86	84	906119	4.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.80%
36) 1,2-Dichloropropane-d6	8.90	67	259654	4.88	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.60%
41) Toluene-d8	9.97	98	790134	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.00%
43) trans-1,3-Dichloropropene-	10.24	79	60054	4.26	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.20%
46) 2-Hexanone-d5	10.59	63	262297	57.52	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	115.04%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	116611	4.90	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	180385	5.84	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.80%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR070518\
Data File : VR025445.D
Acq On : 5 Jul 2018 18:36
Operator : SY/MD
Sample : J3781-05
Misc : 25mL/MSVOA R/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Quant Time: Jul 06 01:41:38 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR070518WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jul 05 15:29:58 2018
Response via : Initial Calibration

