

Data Path : Z:\voasrv\HPCHEM1\MSVOA_R\Data\VR073018\

Quantitation Report (QT Reviewed)

Data File : VR025541.D

Acq On : 30 Jul 2018 14:08

Operator : SY/MD

Sample : VSTD02085

Misc : 25mL/MSVOA_R/WATER

ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jul 30 15:15:54 2018

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M

Quant Title : TRACE VOA SOM01.0

QLast Update : Mon Jul 30 15:00:06 2018

Response via : Initial Calibration

Instrument :

MSVOA_R

Client Sampled :


VSTD02085

Manual Integrations

APPROVED

MMDadoda

7/31/2018 6:22:47 PM



SOMRTR073018WMA.M Mon Jul 30 15:17:00 2018

Data Path : Z:\voasrv\HPCHEM1\MSVOA_R\Data\VR073018\
Quantitation Report (Qedit)


Data File : VR025541.D
Acq On : 30 Jul 2018 14:08
Operator : SY/MD
Sample : VSTD02085
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jul 30 15:04:35 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Jul 30 15:00:06 2018
Response via : Initial Calibration

Instrument :
MSVOA_R
Client Sample Id :
VSTD02085

Manual Integrations
APPROVED

MMDadoda
7/31/2018 6:22:47 PM



(16) Methylene chloride (T)

4.407min (-0.006) 24.43ug/L

response 486730

Ion	Exp%	Act%
84.05	100	100
86.00	57.70	64.69
49.10	108.80	118.10
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_R\Data\VR073018\
Quantitation Report (Qedit)




Data File : VR025541.D
Acq On : 30 Jul 2018 14:08
Operator : SY/MD
Sample : VSTD02085
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jul 30 15:04:35 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Jul 30 15:00:06 2018
Response via : Initial Calibration

Instrument :
MSVOA_R
ClientSampleId :
VSTD02085

Manual Integrations
APPROVED

MMDadoda
7/31/2018 6:22:47 PM



(16) Methylene chloride (T)

4.407min (-0.006) 36.54ug/L m) MD 68/07/18

response 727865

Ion	Exp%	Act%
84.05	100	100
86.00	57.70	64.69
49.10	108.80	118.10
0.00	0.00	0.00

Data File : VR025541.D
Acq On : 30 Jul 2018 14:08
Operator : SY/MD
Sample : VSTD02085
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jul 30 15:15:54 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Jul 30 15:00:06 2018
Response via : Initial Calibration

Instrument :
MSVOA_R
Client Sampled :
VSTD02085

Manual Integrations
APPROVED

MMDadoda
7/31/2018 6:22:47 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	680233	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	602361	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	265533	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	850635	45.36	ug/L	0.00
7) Chloroethane-d5	2.64	69	612146	38.30	ug/L	0.00
11) 1,1-Dichloroethene-d2	3.65	63	2000126	35.20	ug/L	0.00
20) 2-Butanone-d5	6.60	46	882477	151.50	ug/L	0.00
24) Chloroform-d	7.21	84	1495555	16.13	ug/L	0.00
26) 1,2-Dichloroethane-d4	7.90	65	548169	15.42	ug/L	0.00
32) Benzene-d6	7.86	84	3455271	17.15	ug/L	0.00
36) 1,2-Dichloropropane-d6	8.90	67	908706	15.54	ug/L	0.00
41) Toluene-d8	9.97	98	3496315	19.76	ug/L	0.00
43) trans-1,3-Dichloropropene	10.24	79	258846	16.70	ug/L	0.00
46) 2-Hexanone-d5	10.59	63	880087	175.76	ug/L	0.00
57) 1,1,2,2-Tetrachloroethane	12.36	84	410764	15.71	ug/L	0.00
64) 1,2-Dichlorobenzene-d4	13.51	152	857098	19.55	ug/L	0.00

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	1.83	85	843866	21.959	ug/L	96
3) Chloromethane	2.02	50	1010797	44.368	ug/L	96
5) Vinyl chloride	2.16	62	1018532	49.760	ug/L	96
6) Bromomethane	2.53	94	465415	38.641	ug/L	93
8) Chloroethane	2.67	64	523060	41.044	ug/L	92
9) Trichlorofluoromethane	2.98	101	1567986	46.883	ug/L	# 24
10) 1,1,2-Trichloro-1,2,2-trif	3.68	101	947823	46.555	ug/L	99
12) 1,1-Dichloroethene	3.66	96	969190	47.661	ug/L	95
13) Acetone	3.71	43	623851	237.725	ug/L	98
14) Carbon disulfide	3.97	76	2455760	53.066	ug/L	99
15) Methyl Acetate	4.21	43	181898	30.980	ug/L	98
16) Methylene chloride	4.41	84	727865m	36.536	ug/L	98
17) Methyl tert-butyl Ether	4.90	73	1100260	16.600	ug/L	99
18) trans-1,2-Dichloroethene	4.88	96	989403	19.558	ug/L	97
19) 1,1-Dichloroethane	5.70	63	1425695	16.429	ug/L	98
21) 2-Butanone	6.69	43	965417	157.931	ug/L	98
22) cis-1,2-Dichloroethene	6.68	96	955252	20.576	ug/L	# 93
23) Bromochloromethane	7.05	128	294342	19.691	ug/L	98
25) Chloroform	7.24	83	1428144	17.131	ug/L	97
27) 1,2-Dichloroethane	8.00	62	562187	15.043	ug/L	# 94
29) 1,1,1-Trichloroethane	7.43	97	1067992	17.432	ug/L	99
30) Cyclohexane	7.52	56	1515804	23.061	ug/L	96
31) Carbon tetrachloride	7.64	117	1131184	20.870	ug/L	100
33) Benzene	7.91	78	3908268	18.823	ug/L	100
34) Trichloroethene	8.71	95	953391	18.037	ug/L	97
35) Methylcyclohexane	8.96	83	1679077	23.760	ug/L	98
37) 1,2-Dichloropropane	9.00	63	805823	16.697	ug/L	99
38) Bromodichloromethane	9.29	83	853788	17.357	ug/L	98
39) cis-1,3-Dichloropropene	9.72	75	1036573	19.101	ug/L	98
40) 4-Methyl-2-pentanone	9.87	43	2662161	190.341	ug/L	99

MD 08/07/18

Data File : VR025541.D

Acq On : 30 Jul 2018 14:08

Operator : SY/MD

Sample : VSTD02085

Misc : 25mL/MSVOA_R/WATER

ALS Vial : 6 Sample Multiplier: 1

Quant Time: Jul 30 15:15:54 2018

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M

Quant Title : TRACE VOA SOM01.0

QLast Update : Mon Jul 30 15:00:06 2018

Response via : Initial Calibration

Instrument :

MSVOA_R

ClientSampleId :

VSTD02085

Manual Integrations

APPROVED

MMDadoda

7/31/2018 6:22:47 PM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
42) Toluene	10.03	91	4328965	21.440	ug/L	96
44) trans-1,3-Dichloropropene	10.27	75	739490	18.556	ug/L	97
45) 1,1,2-Trichloroethane	10.45	97	399676	16.902	ug/L	92
47) Tetrachloroethene	10.52	164	822375	23.827	ug/L	96
48) 2-Hexanone	10.64	43	1766710	183.630	ug/L	99
49) Dibromochloromethane	10.79	129	511177	20.733	ug/L	99
50) 1,2-Dibromoethane	10.89	107	346682	18.098	ug/L #	93
51) Chlorobenzene	11.32	112	2464658	20.048	ug/L	95
52) Ethylbenzene	11.40	91	4756541	21.970	ug/L	98
53) m,p-Xylene	11.51	106	1958040	24.101	ug/L	97
54) o-Xylene	11.83	106	1849850	26.433	ug/L	96
55) Styrene	11.85	104	2911022	25.282	ug/L	92
56) Isopropylbenzene	12.13	105	4717643	25.458	ug/L	98
58) 1,1,2,2-Tetrachloroethane	12.39	83	379034	16.274	ug/L	95
59) 1,2,3-Trichloropropane	12.44	75	247062	14.735	ug/L	94
61) Bromoform	12.01	173	226564	20.950	ug/L	99
62) 1,3-Dichlorobenzene	13.16	146	1691827	21.745	ug/L	98
63) 1,4-Dichlorobenzene	13.24	146	1652309	19.130	ug/L	99
65) 1,2-Dichlorobenzene	13.53	146	1347940	19.937	ug/L	96
66) 1,2-Dibromo-3-chloropropan	14.15	75	36342	12.152	ug/L #	65
67) 1,3,5-Trichlorobenzene	14.29	180	1124168	22.124	ug/L	98
68) 1,2,4-trichlorobenzene	14.79	180	768510	22.002	ug/L	100
69) Naphthalene	15.00	128	992354	22.185	ug/L	99
70) 1,2,3-Trichlorobenzene	15.18	180	573295	21.281	ug/L	100

(#)=qualifier out of range (m)=manual integration (+)=signals summed