




Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR080718\
 Data File : VR025576.D
 Acq On : 7 Aug 2018 14:58
 Operator : SY/MD
 Sample : J4358-10
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 08 02:01:35 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Aug 08 02:00:36 2018
 Response via : Initial Calibration



TIC: VR025576.D

(16) Methylene chloride (T)

4.407min (-0.006) 0.21ug/L




response 5666

Ion	Exp%	Act%
84.05	100	100
86.00	57.70	70.42
49.10	108.80	106.84
0.00	0.00	0.00

Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR080718\
 Data File : VR025576.D
 Acq On : 7 Aug 2018 14:58
 Operator : SY/MD
 Sample : J4358-10
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 08 02:01:35 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Aug 08 02:00:36 2018
 Response via : Initial Calibration



TIC: VR025576.D

(16) Methylene chloride (T)

4.407min (-0.006) 0.36ug/L m

08/13/18 sy

response 9564

Ion	Exp%	Act%
84.05	100	100
86.00	57.70	70.42
49.10	108.80	106.84
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR080718\
 Data File : VR025576.D
 Acq On : 7 Aug 2018 14:58
 Operator : SY/MD
 Sample : J4358-10
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 08 03:02:05 2018

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M

Quant Title : TRACE VOA SOM01.0

QLast Update : Wed Aug 08 02:00:36 2018

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	441634	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	398923	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	144166	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	120055	4.38	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	87.60%
7) Chloroethane-d5	2.63	69	113742	5.27	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	105.40%
11) 1,1-Dichloroethene-d2	3.63	63	218673	3.46	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.20%
20) 2-Butanone-d5	6.60	46	115191	50.93	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.86%
24) Chloroform-d	7.21	84	228038	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.20%
26) 1,2-Dichloroethane-d4	7.90	65	77256	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.20%
32) Benzene-d6	7.86	84	497451	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.00%
36) 1,2-Dichloropropane-d6	8.90	67	140563	5.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.00%
41) Toluene-d8	9.97	98	455175	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.40%
43) trans-1,3-Dichloropropene-	10.24	79	30429	4.23	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.60%
46) 2-Hexanone-d5	10.59	63	141801	61.77	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	123.54%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	73149	5.76	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	115.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	142085	6.45	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	129.00%#

Target Compounds

16) Methylene chloride	4.41	84	9564m	0.359	ug/L	Qvalue
25) Chloroform	7.24	83	21023	0.480	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR080718\
Data File : VR025576.D
Acq On : 7 Aug 2018 14:58
Operator : SY/MD
Sample : J4358-10
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 08 03:02:05 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Aug 08 02:00:36 2018
Response via : Initial Calibration

