

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR080918\
 Data File : VR025601.D
 Acq On : 9 Aug 2018 11:44
 Operator : SY/MD
 Sample : J4358-01DL 4X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ESWW3DL

Quant Time: Aug 10 05:19:22 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Aug 09 04:27:17 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.47	114	571483	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	477529	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	160227	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	175142	4.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.80%
7) Chloroethane-d5	2.64	69	128372	4.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.00%
11) 1,1-Dichloroethene-d2	3.64	63	298979	3.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.20%
20) 2-Butanone-d5	6.60	46	170111	58.12	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.24%
24) Chloroform-d	7.21	84	309247	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.00%
26) 1,2-Dichloroethane-d4	7.90	65	108189	5.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.40%
32) Benzene-d6	7.86	84	699687	5.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.20%
36) 1,2-Dichloropropane-d6	8.90	67	183803	5.47	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.40%
41) Toluene-d8	9.97	98	658182	5.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.40%
43) trans-1,3-Dichloropropene-	10.24	79	38974	4.53	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.60%
46) 2-Hexanone-d5	10.59	63	163540	59.51	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	119.02%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	83070	5.46	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	109.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	161632	6.60	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	132.00%#

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	6.68	96	182162	5.10 ug/L	# 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR080918\
Data File : VR025601.D
Acq On : 9 Aug 2018 11:44
Operator : SY/MD
Sample : J4358-01DL 4X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ESWW3DL

Quant Time: Aug 10 05:19:22 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Aug 09 04:27:17 2018
Response via : Initial Calibration

