

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR080918\
 Data File : VR025604.D
 Acq On : 9 Aug 2018 13:30
 Operator : SY/MD
 Sample : J4358-07DL 10X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ESWW7DL

Quant Time: Aug 10 05:39:08 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Aug 09 04:27:17 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.47	114	707237	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	596198	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	212624	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	147588	3.37	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	67.40%
7) Chloroethane-d5	2.64	69	113343	3.28	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	65.60%
11) 1,1-Dichloroethene-d2	3.63	63	255558	2.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	50.40%#
20) 2-Butanone-d5	6.60	46	143658	39.66	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	79.32%
24) Chloroform-d	7.21	84	243159	3.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	66.80%#
26) 1,2-Dichloroethane-d4	7.90	65	89558	3.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.40%
32) Benzene-d6	7.86	84	532928	3.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	66.60%#
36) 1,2-Dichloropropane-d6	8.90	67	144989	3.45	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	69.00%
41) Toluene-d8	9.97	98	482315	3.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	61.20%#
43) trans-1,3-Dichloropropene-	10.24	79	31226	2.91	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	58.20%
46) 2-Hexanone-d5	10.59	63	133784	38.99	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	77.98%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	65084	3.43	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	68.60%
64) 1,2-Dichlorobenzene-d4	13.51	152	131281	4.04	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	80.80%

Target Compounds					Ovalue
5) Vinyl chloride	2.16	62	225294	4.22	ug/L 99
22) cis-1,2-Dichloroethene	6.68	96	276330	6.25	ug/L # 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR080918\
Data File : VR025604.D
Acq On : 9 Aug 2018 13:30
Operator : SY/MD
Sample : J4358-07DL 10X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ESWW7DL

Quant Time: Aug 10 05:39:08 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Aug 09 04:27:17 2018
Response via : Initial Calibration

