

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR080918\
 Data File : VR025613.D
 Acq On : 9 Aug 2018 18:52
 Operator : SY/MD
 Sample : J4358-19DL 10X
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ESWY3DL

Quant Time: Aug 10 08:50:50 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Aug 09 04:27:17 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	653963	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	549542	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	181784	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	163620	4.03	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.60%
7) Chloroethane-d5	2.63	69	96025	3.01	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	60.20%#
11) 1,1-Dichloroethene-d2	3.64	63	298201	3.19	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.80%
20) 2-Butanone-d5	6.60	46	226997	67.77	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	135.54%#
24) Chloroform-d	7.21	84	319641	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.80%
26) 1,2-Dichloroethane-d4	0.00	65	0d	0.00	ug/L	
Spiked Amount	5.000	Range	70 - 130	Recovery	=	0.00%#
32) Benzene-d6	7.86	84	696485	4.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.60%
36) 1,2-Dichloropropane-d6	8.90	67	191051	4.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.80%
41) Toluene-d8	9.97	98	644977	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.00%
43) trans-1,3-Dichloropropene-	10.24	79	41897	4.23	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.60%
46) 2-Hexanone-d5	10.59	63	190066	60.10	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	120.20%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	84008	4.80	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	163204	5.88	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	117.60%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	6.68	96	328123	8.03 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR080918\
Data File : VR025613.D
Acq On : 9 Aug 2018 18:52
Operator : SY/MD
Sample : J4358-19DL 10X
Misc : 25mL/MSVOA R/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ESWY3DL

Quant Time: Aug 10 08:50:50 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR073018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Aug 09 04:27:17 2018
Response via : Initial Calibration

