

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR091218\
 Data File : VR025700.D
 Acq On : 12 Sep 2018 18:24
 Operator : SY/MD
 Sample : J4863-06
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0KM5

Quant Time: Sep 13 04:48:35 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR090718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Sep 13 03:48:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	692344	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	581751	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	175977	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.16	65	115861	3.85	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.00%
7) Chloroethane-d5	2.63	69	100318	4.07	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.40%
11) 1,1-Dichloroethene-d2	3.63	63	255111	3.10	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.00%
20) 2-Butanone-d5	6.59	46	151754	49.94	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.88%
24) Chloroform-d	7.20	84	299248	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.00%
26) 1,2-Dichloroethane-d4	7.90	65	108801	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.20%
32) Benzene-d6	7.86	84	713066	4.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.80%
36) 1,2-Dichloropropane-d6	8.90	67	203396	4.80	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.00%
41) Toluene-d8	9.97	98	655503	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.20%
43) trans-1,3-Dichloropropene-	10.24	79	39185	3.75	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.00%
46) 2-Hexanone-d5	10.59	63	167562	53.58	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.16%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	83181	4.49	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.80%
64) 1,2-Dichlorobenzene-d4	13.52	152	144481	5.79	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.80%

Target Compounds					Ovalue
34) Trichloroethene	8.71	95	259907	5.17 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR091218\
Data File : VR025700.D
Acq On : 12 Sep 2018 18:24
Operator : SY/MD
Sample : J4863-06
Misc : 25mL/MSVOA R/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0KM5

Quant Time: Sep 13 04:48:35 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR090718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 13 03:48:20 2018
Response via : Initial Calibration

