

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR091218\
 Data File : VR025705.D
 Acq On : 12 Sep 2018 21:10
 Operator : SY/MD
 Sample : J4863-11
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0KPO

Quant Time: Sep 13 04:58:48 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR090718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Sep 13 03:48:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	605255	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	527621	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	160397	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	108864	4.14	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	82.80%
7) Chloroethane-d5	2.63	69	98251	4.56	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.20%
11) 1,1-Dichloroethene-d2	3.64	63	231216	3.21	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.20%
20) 2-Butanone-d5	6.59	46	141858	53.40	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.80%
24) Chloroform-d	7.20	84	284737	4.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.60%
26) 1,2-Dichloroethane-d4	7.90	65	104130	5.10	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.00%
32) Benzene-d6	7.85	84	639298	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.60%
36) 1,2-Dichloropropane-d6	8.90	67	183071	4.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.40%
41) Toluene-d8	9.97	98	586646	4.30	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.00%
43) trans-1,3-Dichloropropene-	10.24	79	35809	3.78	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.60%
46) 2-Hexanone-d5	10.59	63	159590	56.27	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	112.54%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	83384	4.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.20%
64) 1,2-Dichlorobenzene-d4	13.52	152	133777	5.89	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	117.80%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR091218\
Data File : VR025705.D
Acq On : 12 Sep 2018 21:10
Operator : SY/MD
Sample : J4863-11
Misc : 25mL/MSVOA R/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0KP0

Quant Time: Sep 13 04:58:48 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR090718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 13 03:48:20 2018
Response via : Initial Calibration

