

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR091418\
 Data File : VR025732.D
 Acq On : 14 Sep 2018 16:28
 Operator : SY/MD
 Sample : J4887-11
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0KR5

Quant Time: Sep 15 03:58:34 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR090718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Sep 15 03:08:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	667488	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	570303	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	167584	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.16	65	155314	5.35	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	107.00%
7) Chloroethane-d5	2.62	69	131214	5.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.40%
11) 1,1-Dichloroethene-d2	3.62	63	304064	3.83	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	76.60%
20) 2-Butanone-d5	6.59	46	114549	39.10	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	78.20%
24) Chloroform-d	7.20	84	298163	4.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.80%
26) 1,2-Dichloroethane-d4	7.90	65	110668	4.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.40%
32) Benzene-d6	7.85	84	707847	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.80%
36) 1,2-Dichloropropane-d6	8.90	67	196106	4.72	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.40%
41) Toluene-d8	9.97	98	648810	4.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.00%
43) trans-1,3-Dichloropropene-	10.24	79	36250	3.54	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	70.80%
46) 2-Hexanone-d5	10.59	63	132618	43.26	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.52%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	79244	4.36	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	87.20%
64) 1,2-Dichlorobenzene-d4	13.52	152	136763	5.76	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.20%

Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
34) Trichloroethene	8.71	95	8883	0.180	ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR091418\
Data File : VR025732.D
Acq On : 14 Sep 2018 16:28
Operator : SY/MD
Sample : J4887-11
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0KR5

Quant Time: Sep 15 03:58:34 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR090718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Sep 15 03:08:36 2018
Response via : Initial Calibration

