

Data File : VR025748.D
Acq On : 17 Sep 2018 17:53
Operator : SY/MD
Sample : J4890-05
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0SZ5

Quant Time: Sep 18 08:09:44 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR091718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Sep 17 16:10:44 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	715192	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	600572	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	192777	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	172016	4.40	ug/L	-0.02
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.00%
7) Chloroethane-d5	2.62	69	133922	4.05	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	81.00%
11) 1,1-Dichloroethene-d2	3.62	63	297870	3.00	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.00%
20) 2-Butanone-d5	6.59	46	163335	52.87	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.74%
24) Chloroform-d	7.20	84	334769	3.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.40%
26) 1,2-Dichloroethane-d4	7.90	65	119840	3.98	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.60%
32) Benzene-d6	7.85	84	766290	4.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.20%
36) 1,2-Dichloropropane-d6	8.90	67	214185	4.29	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	85.80%
41) Toluene-d8	9.97	98	683123	3.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.40%
43) trans-1,3-Dichloropropene-	10.24	79	40116	3.49	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	69.80%
46) 2-Hexanone-d5	10.59	63	146399	45.53	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.06%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	87976	3.72	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	74.40%
64) 1,2-Dichlorobenzene-d4	13.52	152	152241	4.91	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.20%

Target Compounds					Qvalue
13) Acetone	3.71	43	17752	9.594 ug/L	77

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VR025748.D
Acq On : 17 Sep 2018 17:53
Operator : SY/MD
Sample : J4890-05
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0SZ5

Quant Time: Sep 18 08:09:44 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR091718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Sep 17 16:10:44 2018
Response via : Initial Calibration

