

Data File : VR025749.D
Acq On : 17 Sep 2018 18:26
Operator : SY/MD
Sample : J4890-01
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0SZ1

Quant Time: Sep 18 08:12:27 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR091718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Sep 17 16:10:44 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	723261	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	593235	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	166580	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	168697	4.27	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.40%
7) Chloroethane-d5	2.63	69	139265	4.16	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.20%
11) 1,1-Dichloroethene-d2	3.63	63	308172	3.07	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.40%
20) 2-Butanone-d5	6.59	46	190344	60.92	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	121.84%
24) Chloroform-d	7.20	84	368192	4.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.20%
26) 1,2-Dichloroethane-d4	7.90	65	141595	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.00%
32) Benzene-d6	7.85	84	850156	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.20%
36) 1,2-Dichloropropane-d6	8.90	67	238185	4.82	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.40%
41) Toluene-d8	9.97	98	755262	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.00%
43) trans-1,3-Dichloropropene-	10.24	79	45204	3.99	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.80%
46) 2-Hexanone-d5	10.59	63	173790	54.72	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	109.44%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	96006	4.11	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.20%
64) 1,2-Dichlorobenzene-d4	13.52	152	157794	5.89	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	117.80%

Target Compounds					Qvalue
13) Acetone	3.70	43	12567	6.716 ug/L	64

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VR025749.D
Acq On : 17 Sep 2018 18:26
Operator : SY/MD
Sample : J4890-01
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0SZ1

Quant Time: Sep 18 08:12:27 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR091718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Sep 17 16:10:44 2018
Response via : Initial Calibration

