

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092018\
 Data File : VR025783.D
 Acq On : 20 Sep 2018 21:01
 Operator : SY/MD
 Sample : J4991-06
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0T27

Quant Time: Sep 21 08:04:48 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 21 07:37:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	535889	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	425884	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	151533	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.14	65	102575	4.48	ug/L	-0.02
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.60%
7) Chloroethane-d5	2.63	69	88240	4.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.40%
11) 1,1-Dichloroethene-d2	3.61	63	159498	2.52	ug/L	-0.02
Spiked Amount	5.000	Range	60 - 125	Recovery	=	50.40%#
20) 2-Butanone-d5	6.59	46	220200	53.59	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	107.18%
24) Chloroform-d	7.20	84	278402	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.20%
26) 1,2-Dichloroethane-d4	7.90	65	125573	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.00%
32) Benzene-d6	7.85	84	474112	4.45	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.00%
36) 1,2-Dichloropropane-d6	8.90	67	148069	4.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.80%
41) Toluene-d8	9.97	98	368417	4.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.40%
43) trans-1,3-Dichloropropene-	10.24	79	44261	3.79	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.80%
46) 2-Hexanone-d5	10.59	63	183121	49.60	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.20%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	68748	4.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.00%
64) 1,2-Dichlorobenzene-d4	13.51	152	89748	4.46	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.20%


Target Compounds					Ovalue
13) Acetone	3.69	43	44480	20.378 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092018\
Data File : VR025783.D
Acq On : 20 Sep 2018 21:01
Operator : SY/MD
Sample : J4991-06
Misc : 25mL/MSVOA R/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0T27

Quant Time: Sep 21 08:04:48 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 21 07:37:28 2018
Response via : Initial Calibration





#13

Acetone

Concen: 20.378 ug/L

RT: 3.69 min Scan# 331

Delta R.T. -0.01 min

Lab File: VR025783.D

Acq: 20 Sep 2018 21:01

Instrument :
MSVOA_R
ClientSampleId :
C0T27

Tot Ion: 43 Resp: 44480

Ion Ratio Lower Upper

43 100

58 30.7 0.0 63.0

