

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092018\
 Data File : VR025787.D
 Acq On : 20 Sep 2018 23:12
 Operator : SY/MD
 Sample : J4991-02
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 C0T23

Quant Time: Sep 21 08:13:14 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092018WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 21 07:37:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	537892	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	427043	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	148521	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	107157	4.66	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	93.20%
7) Chloroethane-d5	2.63	69	94149	4.81	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.20%
11) 1,1-Dichloroethene-d2	3.61	63	163980	2.58	ug/L	-0.02
Spiked Amount	5.000	Range	60 - 125	Recovery	=	51.60%#
20) 2-Butanone-d5	6.59	46	258142	62.59	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	125.18%
24) Chloroform-d	7.20	84	291711	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.00%
26) 1,2-Dichloroethane-d4	7.90	65	136517	5.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.80%
32) Benzene-d6	7.85	84	507049	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.00%
36) 1,2-Dichloropropane-d6	8.90	67	163221	5.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.80%
41) Toluene-d8	9.97	98	410726	4.69	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.80%
43) trans-1,3-Dichloropropene-	10.24	79	44185	3.78	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.60%
46) 2-Hexanone-d5	10.59	63	196208	53.00	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.00%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	71418	4.61	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	93062	4.72	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.40%


Target Compounds					Ovalue
13) Acetone	3.70	43	46403	21.180 ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092018\
Data File : VR025787.D
Acq On : 20 Sep 2018 23:12
Operator : SY/MD
Sample : J4991-02
Misc : 25mL/MSVOA R/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
C0T23

Quant Time: Sep 21 08:13:14 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092018WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 21 07:37:28 2018
Response via : Initial Calibration





#13

Acetone

Concen: 21.180 ug/L

RT: 3.70 min Scan# 332

Delta R.T. -0.01 min

Lab File: VR025787.D

Acq: 20 Sep 2018 23:12

Instrument :
MSVOA_R
ClientSampleId :
C0T23

Tot Ion: 43 Resp: 46403

Ion Ratio Lower Upper

43 100

58 22.6 0.0 63.0

