

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR092418\
 Data File : VR025825.D
 Acq On : 24 Sep 2018 15:25
 Operator : SY/MD
 Sample : J5030-01
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 BEY70

Quant Time: Sep 25 08:04:12 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Sep 25 07:30:51 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	478814	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	373601	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	118919	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	150331	4.38	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	87.60%
7) Chloroethane-d5	2.63	69	125332	4.65	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.00%
11) 1,1-Dichloroethene-d2	3.60	63	269024	3.24	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.80%
20) 2-Butanone-d5	6.58	46	226000	49.45	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.90%
24) Chloroform-d	7.20	84	297040	4.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.60%
26) 1,2-Dichloroethane-d4	7.89	65	135834	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.60%
32) Benzene-d6	7.85	84	607716	4.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.60%
36) 1,2-Dichloropropane-d6	8.89	67	172068	4.55	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.00%
41) Toluene-d8	9.97	98	531685	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.20%
43) trans-1,3-Dichloropropene-	10.23	79	36468	3.48	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	69.60%
46) 2-Hexanone-d5	10.59	63	161192	46.11	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.22%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	63448	4.41	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	88944	4.37	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.40%


Target Compounds					Qvalue
47) Tetrachloroethene	10.51	164	10321	0.347 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR092418\
Data File : VR025825.D
Acq On : 24 Sep 2018 15:25
Operator : SY/MD
Sample : J5030-01
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
BEY70

Quant Time: Sep 25 08:04:12 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Sep 25 07:30:51 2018
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 0.347 ug/L

RT: 10.51 min Scan# 1452

Delta R.T. -0.00 min

Lab File: VR025825.D


Acq: 24 Sep 2018 15:25

Instrument :

MSVOA_R

ClientSampleId :

BEY70



Tgt Ion:164 Resp: 10321

Ion Ratio Lower Upper

164 100

129 117.1 80.8 150.2

131 108.3 74.5 138.3

166 117.8 92.5 171.7

Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

