

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_R\DATA\VR092418\
 Data File : VR025830.D
 Acq On : 24 Sep 2018 18:43
 Operator : SY/MD
 Sample : J4989-06DL 5X
 Misc : 25mL/MSVOA_R/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ETOR8DL

Quant Time: Sep 25 08:43:21 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Sep 25 07:30:51 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	489867	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	389626	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	130927	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	147331	4.20	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.00%
7) Chloroethane-d5	2.62	69	121876	4.42	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.40%
11) 1,1-Dichloroethene-d2	3.62	63	250730	2.96	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.20%#
20) 2-Butanone-d5	6.59	46	220191	47.09	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	94.18%
24) Chloroform-d	7.20	84	287096	3.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.00%
26) 1,2-Dichloroethane-d4	7.89	65	132340	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.40%
32) Benzene-d6	7.85	84	585464	4.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.00%
36) 1,2-Dichloropropane-d6	8.90	67	166568	4.22	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.40%
41) Toluene-d8	9.97	98	505709	3.89	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	77.80%
43) trans-1,3-Dichloropropene-	10.24	79	35041	3.21	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	64.20%
46) 2-Hexanone-d5	10.59	63	161383	44.27	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	88.54%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	64938	4.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.40%
64) 1,2-Dichlorobenzene-d4	13.51	152	89791	4.01	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	80.20%


Target Compounds					Qvalue
22) cis-1,2-Dichloroethene	6.67	96	179683	3.731 ug/L	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_R\DATA\VR092418\
Data File : VR025830.D
Acq On : 24 Sep 2018 18:43
Operator : SY/MD
Sample : J4989-06DL 5X
Misc : 25mL/MSVOA_R/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ET0R8DL

Quant Time: Sep 25 08:43:21 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Sep 25 07:30:51 2018
Response via : Initial Calibration





#22
 cis-1,2-Dichloroethene
 Concen: 3.731 ug/L
 RT: 6.67 min Scan# 821
 Delta R.T. -0.00 min
 Lab File: VR025830.D
 Acq: 24 Sep 2018 18:43

Instrument :
 MSVOA_R
 ClientSampleId :
 ET0R8DL

Tgt Ion: 96 Resp: 179683
 Ion Ratio Lower Upper
 96 100
 61 151.4 108.7 201.9
 68 0.0 0.1 0.1#

