

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092518\
 Data File : VR025844.D
 Acq On : 25 Sep 2018 13:00
 Operator : SY/MD
 Sample : VR0925WBL01
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VBLK03

Quant Time: Sep 26 07:00:00 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Sep 26 06:56:32 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	430054	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.28	117	342135	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	105135	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	142065	4.61	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.20%
7) Chloroethane-d5	2.62	69	119105	4.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.40%
11) 1,1-Dichloroethene-d2	3.60	63	252230	3.39	ug/L	-0.02
Spiked Amount	5.000	Range	60 - 125	Recovery	=	67.80%
20) 2-Butanone-d5	6.59	46	181436	44.20	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.40%
24) Chloroform-d	7.20	84	255408	3.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.00%
26) 1,2-Dichloroethane-d4	7.90	65	108719	3.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.00%
32) Benzene-d6	7.85	84	533304	4.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.00%
36) 1,2-Dichloropropane-d6	8.89	67	152603	4.40	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	88.00%
41) Toluene-d8	9.97	98	463312	4.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.00%
43) trans-1,3-Dichloropropene-	10.24	79	29130	3.04	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	60.80%
46) 2-Hexanone-d5	10.59	63	129460	40.44	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.88%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	54814	4.16	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	83.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	75885	4.22	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.40%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR092518\
Data File : VR025844.D
Acq On : 25 Sep 2018 13:00
Operator : SY/MD
Sample : VR0925WBL01
Misc : 25mL/MSVOA R/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VBLK03

Quant Time: Sep 26 07:00:00 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Sep 26 06:56:32 2018
Response via : Initial Calibration

