

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092518\
 Data File : VR025849.D
 Acq On : 25 Sep 2018 16:21
 Operator : SY/MD
 Sample : J4989-16
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ET0S7

Quant Time: Sep 26 07:12:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Sep 26 06:56:32 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	359931	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	289906	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	94045	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	127769	4.96	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	99.20%
7) Chloroethane-d5	2.63	69	113851	5.62	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	112.40%
11) 1,1-Dichloroethene-d2	3.61	63	228114	3.66	ug/L	-0.01
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.20%
20) 2-Butanone-d5	6.59	46	187121	54.46	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	108.92%
24) Chloroform-d	7.20	84	233106	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.20%
26) 1,2-Dichloroethane-d4	7.90	65	104402	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.60%
32) Benzene-d6	7.85	84	480914	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.40%
36) 1,2-Dichloropropane-d6	8.90	67	140254	4.78	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.60%
41) Toluene-d8	9.97	98	412646	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.20%
43) trans-1,3-Dichloropropene-	10.24	79	24824	3.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	61.00%
46) 2-Hexanone-d5	10.59	63	136712	50.40	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.80%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	52052	4.66	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	70660	4.39	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.80%


Target Compounds					Ovalue
13) Acetone	3.70	43	46317	20.429 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR092518\
Data File : VR025849.D
Acq On : 25 Sep 2018 16:21
Operator : SY/MD
Sample : J4989-16
Misc : 25mL/MSVOA R/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ET0S7

Quant Time: Sep 26 07:12:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Sep 26 06:56:32 2018
Response via : Initial Calibration





#13

Acetone

Concen: 20.429 ug/L

RT: 3.70 min Scan# 333

Delta R.T. 0.01 min

Lab File: VR025849.D

Acq: 25 Sep 2018 16:21

Instrument :
MSVOA_R
ClientSampleId :
ET0S7

Tot Ion: 43 Resp: 46317

Ion Ratio Lower Upper

43 100

58 27.0 0.0 51.4

