

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092618\
 Data File : VR025864.D
 Acq On : 26 Sep 2018 15:35
 Operator : SY/MD
 Sample : J4989-17
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ETOS8

Quant Time: Sep 27 08:21:50 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Sep 27 07:50:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	374627	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	311214	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	101584	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.17	65	99282	3.70	ug/L	0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	74.00%
7) Chloroethane-d5	2.64	69	93699	4.45	ug/L	0.01
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.00%
11) 1,1-Dichloroethene-d2	3.64	63	204755	3.16	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.20%
20) 2-Butanone-d5	6.59	46	197719	55.29	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	110.58%
24) Chloroform-d	7.20	84	225361	4.00	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.00%
26) 1,2-Dichloroethane-d4	7.90	65	105768	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.20%
32) Benzene-d6	7.85	84	458068	3.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	79.40%
36) 1,2-Dichloropropane-d6	8.90	67	133936	4.25	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	85.00%
41) Toluene-d8	9.97	98	388639	3.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.80%
43) trans-1,3-Dichloropropene-	10.24	79	23841	2.73	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	54.60%#
46) 2-Hexanone-d5	10.59	63	143195	49.17	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.34%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	54919	4.58	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.60%
64) 1,2-Dichlorobenzene-d4	13.52	152	68376	3.94	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	78.80%#

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
42) Toluene	10.03	91	16920	0.102	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092618\
Data File : VR025864.D
Acq On : 26 Sep 2018 15:35
Operator : SY/MD
Sample : J4989-17
Misc : 25mL/MSVOA R/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ET0S8

Quant Time: Sep 27 08:21:50 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 27 07:50:08 2018
Response via : Initial Calibration

