

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR092618\
 Data File : VR025865.D
 Acq On : 26 Sep 2018 16:12
 Operator : SY/MD
 Sample : J4989-18
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 ET0S9

Quant Time: Sep 27 08:24:38 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Sep 27 07:50:08 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	355875	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	297941	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.22	152	98360	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	114560	4.49	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	89.80%
7) Chloroethane-d5	2.63	69	99714	4.98	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.60%
11) 1,1-Dichloroethene-d2	3.63	63	209704	3.40	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	68.00%
20) 2-Butanone-d5	6.59	46	201524	59.32	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.64%
24) Chloroform-d	7.20	84	233692	4.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.40%
26) 1,2-Dichloroethane-d4	7.90	65	109275	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.80%
32) Benzene-d6	7.85	84	470331	4.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.00%
36) 1,2-Dichloropropane-d6	8.90	67	138306	4.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.60%
41) Toluene-d8	9.97	98	399664	4.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.40%
43) trans-1,3-Dichloropropene-	10.24	79	23881	2.86	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	57.20%
46) 2-Hexanone-d5	10.59	63	140684	50.46	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.92%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	56531	4.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.40%
64) 1,2-Dichlorobenzene-d4	13.51	152	69169	4.11	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	82.20%


Target Compounds					Ovalue
13) Acetone	3.70	43	54541	24.331 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR092618\
Data File : VR025865.D
Acq On : 26 Sep 2018 16:12
Operator : SY/MD
Sample : J4989-18
Misc : 25mL/MSVOA R/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
ETOS9

Quant Time: Sep 27 08:24:38 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092118WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 27 07:50:08 2018
Response via : Initial Calibration





#13

Acetone

Concen: 24.331 ug/L

RT: 3.70 min Scan# 332

Delta R.T. 0.00 min

Lab File: VR025865.D

Acq: 26 Sep 2018 16:12

Instrument :
MSVOA_R
ClientSampleId :
ET0S9

Tot Ion: 43 Resp: 54541

Ion Ratio Lower Upper

43 100

58 28.3 0.0 51.4

