

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR100218\
 Data File : VR025928.D
 Acq On : 2 Oct 2018 15:17
 Operator : SY/MD
 Sample : VIBLK85
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VIBLK85

Quant Time: Oct 03 04:04:43 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Oct 03 02:53:45 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	414166	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	351934	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	125057	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.17	65	166109	5.09	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.80%
7) Chloroethane-d5	2.63	69	150952	5.66	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	113.20%
11) 1,1-Dichloroethene-d2	3.63	63	304740	3.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.40%
20) 2-Butanone-d5	6.59	46	211392	58.06	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.12%
24) Chloroform-d	7.20	84	278592	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.00%
26) 1,2-Dichloroethane-d4	7.90	65	127809	5.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.60%
32) Benzene-d6	7.86	84	560988	4.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.80%
36) 1,2-Dichloropropane-d6	8.90	67	155974	4.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.80%
41) Toluene-d8	9.97	98	506183	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
43) trans-1,3-Dichloropropene-	10.24	79	33595	4.69	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.80%
46) 2-Hexanone-d5	10.59	63	157232	57.55	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	115.10%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	65148	5.09	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.80%
64) 1,2-Dichlorobenzene-d4	13.52	152	94941	4.74	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.80%


Target Compounds					Ovalue
47) Tetrachloroethene	10.52	164	5445	0.284 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR100218\
Data File : VR025928.D
Acq On : 2 Oct 2018 15:17
Operator : SY/MD
Sample : VIBLK85
Misc : 25mL/MSVOA R/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_R
ClientSampleId :
VIBLK85

Quant Time: Oct 03 04:04:43 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Oct 03 02:53:45 2018
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 0.284 ug/L

RT: 10.52 min Scan# 1453

Delta R.T. 0.01 min

Lab File: VR025928.D

Acq: 2 Oct 2018 15:17

Instrument :

MSVOA_R

ClientSampleId :

VIBLK85

Tot Ion:164 Resp: 5445



Ion Ratio Lower Upper

164 100

129 116.5 80.8 150.2

131 90.0 74.5 138.3

166 131.6 92.5 171.7



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

