

Data Path : Z:\VOASRV\HPCHEM1\MSVOA R\DATA\VR100318\
 Data File : VR025940.D
 Acq On : 3 Oct 2018 14:31
 Operator : SY/MD
 Sample : J5073-03
 Misc : 25mL/MSVOA R/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_R
 ClientSampleId :
 VHBLK01

Manual Integrations
 APPROVED

MMDadoda
 10/4/2018 2:47:10 PM

Quant Time: Oct 04 08:59:06 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Oct 04 08:45:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.46	114	400842	5.00	ug/L	0.00
28) Chlorobenzene-d5	11.29	117	344167	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.23	152	118044	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.15	65	161885	5.12	ug/L	-0.01
Spiked Amount	5.000	Range	40 - 130	Recovery	=	102.40%
7) Chloroethane-d5	2.63	69	149870	5.80	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	116.00%
11) 1,1-Dichloroethene-d2	3.63	63	297493	4.01	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.20%
20) 2-Butanone-d5	6.59	46	197900	56.16	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.32%
24) Chloroform-d	7.20	84	277883	5.05	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.00%
26) 1,2-Dichloroethane-d4	7.90	65	128448	5.43	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.60%
32) Benzene-d6	7.86	84	545144	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.20%
36) 1,2-Dichloropropane-d6	8.90	67	150999	4.89	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.80%
41) Toluene-d8	9.97	98	493493	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.80%
43) trans-1,3-Dichloropropene-	10.24	79	31841	4.55	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	91.00%
46) 2-Hexanone-d5	10.59	63	154901	57.97	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	115.94%
57) 1,1,2,2-Tetrachloroethane-	12.36	84	65293	5.21	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.20%
64) 1,2-Dichlorobenzene-d4	13.51	152	96279	5.09	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.80%

Target Compounds				Ovalue
16) Methylene chloride	4.42	84	9925m	0.357 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA R\DATA\VR100318\
Data File : VR025940.D
Acq On : 3 Oct 2018 14:31
Operator : SY/MD
Sample : J5073-03
Misc : 25mL/MSVOA R/WATER
ALS Vial : 5 Sample Multiplier: 1


Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Manual Integrations
APPROVED

MMDadoda
10/4/2018 2:47:10 PM

Quant Time: Oct 04 08:59:06 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_R\METHODS\SOMRTR092718WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Oct 04 08:45:53 2018
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.357 ug/L m
RT: 4.42 min Scan# 450
Delta R.T. 0.01 min
Lab File: VR025940.D
Acq: 3 Oct 2018 14:31

Instrument :
MSVOA_R
ClientSampleId :
VHBLK01

Tot Ion	Ratio	Lower	Upper
84	100		
86	45.3	43.1	80.1
49	101.0	95.5	177.3

Manual Integrations
APPROVED

MMDadoda
10/4/2018 2:47:10 PM

